

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
0.1 M ZINC	STANDARDIZA <i>USPNF Online</i>	Online	26-Aug-2022	1-Dec-2022	NA	NA	In

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SULFATE VS TION							<p><i>Standardization with visual end point.</i> Change M = mL edetate disodium x edetate disodium/mL ZnSO₄ to: M = mL edetate disodium x M edetate disodium/mL ZnSO₄ AND In</p> <p><i>Standardization with potentiometric end point.</i> Change M = mL edetate disodium x edetate disodium/mL ZnSO₄ to: M = mL edetate disodium x M edetate disodium/mL</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CELL BANKING PRACTICES FOR RECOMBINANT BIOLOGICS 5. CELL BANK CHARACTERIZATION	USPNF Online	Online	31-Mar-2023	1-May-2023	NA	NA	ZnSO ₄ In Table 4: Change In vitro assay ^{d,e} + + + ^f to: In vitro assay ^{d,e} + ? ^f +
DRY HEAT DECONTAMINATION	USPNF Online	Online	23-Feb-2024	1-Mar-2024	NA	NA	Change parental manufacturing to: parenteral manufacturing
LOW MOLECULAR WEIGHT HEPARIN MOLECULAR WEIGHT DETERMINATIONS PROCEDURE	USPNF Online	Online	31-Mar-2023	1-Apr-2023	NA	NA	In footnote 1 in <i>Molecular Weight Measurements of Low Molecular Weight Heparins by Gel Permeation Chromatography/Chromatographic system/Columns/Analytical:</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LEAD	PROCEDURES <i>USP</i> <i>Procedure 1:</i> <i>Chemical</i> <i>Method</i>	<i>USP</i> Online	27-Jan-2023	1-Jun-2023	NA	NA	Change guard column TSK SWXL 6-mm x 4-mm; to: guard column TSK SWXL 6-mm x 4-cm; In <i>Analysis:</i> Change Add to the acid solution 5.0 mL of <i>Standard dithizone solution</i> and 4 mL of <i>Ammonia cyanide solution</i> , to: Add to the acid solution 5.0 mL of <i>Standard dithizone solution</i> and 4 mL of <i>Ammonium cyanide solution</i> , Change
LEAD	REQUIREMEN TS FOR PROCEDURE	<i>USP</i> Online	27-Jan-2023	1-Jun-2023	NA	NA	Change • Precision Repeatability

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
VALIDATION							to: • Precision In <i>Release Liner Peel Test</i> . Change The product fails the test if the mean peel force is outside the acceptable range determined during product development.
TOPICAL AND SPECIFIC TRANSDERMA TESTS FOR L DRUG PROD TDS UCTS—PRODU CT QUALITY TESTS	<i>USPNF Online</i> Online		28-Jul-2023	1-Dec-2023	NA	NA	to: The product fails the test if the overall mean peel force is outside the acceptable range determined during product development.
PARTICLE SIZE ANALYSIS BY DYNAMIC LIGHT SCATTERING	<i>USPNF Online</i> Online		27-Oct-2023	1-May-2024	NA	NA	In <i>Average particle diameter</i> . Change expressed in nanometers.

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CHROMATOGRAPHY SYSTEM SUITABILITY	USP <i>NF Online</i>	Online	25-Mar-2022	1-Dec-2022	NA	NA	to: expressed in meters. AND In <i>Viscosity</i> : Change in millipascal- seconds (mPa?s). to: in pascal- seconds (Pa?s). Change System Repeat ability—Assay of an Active Substance or an Excipient to: System Repeatability
CHROMATOGRAPHY ADJUSTMENT OF CHROMATOGRAPHIC CONDITIONS	USP <i>NF Online</i>	Online	29-Apr-2022	1-Dec-2022	NA	NA	In <i>Liquid Chromatography</i> : <i>Isocratic Elution/Injection volume</i> : Change Result = $(V_{inj2} = V_{inj1} (L_2 d_{c2}^2) / (L_1 d_{c1}^2))$ to:

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CHROMATOGRAPHY ADJUSTMENT OF CHROMATOGRAPHIC CONDITIONS	USPNF Online	Online	26-Aug-2022	1-Dec-2022	NA	NA	$V_{inj2} = V_{inj1} (L_2 d_{c2}^2) / (L_1 d_{c1}^2)$ <p>AND</p> <p>In <i>Liquid Chromatography: Gradient Elution/Column parameters and flow rate:</i> Change $F_2 = F_1 \times [(dc_2^2 \times dp_1) / (dc_1^2 \times dp_2)]$ to: $F_2 = F_1 \times [(dc_2^2 \times dp_1) / (dc_1^2 \times dp_2)]$</p> <p>In <i>Liquid Chromatography: Isocratic Elution/Injection volume:</i> Change L_2 = internal diameter of the column used (mm) dc_1 = particle size indicated in the monograph (µm)</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
COLOR AND ACHROMICITY METHOD II: INSTRUMENTAL (QUANTITATIVE) ASSESSMENT OF COLOR AND COLOR MATCHES	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	dc_2 = particle size of the column used (μm) to: L_2 = new column length (mm) dc_1 = column internal diameter indicated in the monograph (mm) dc_2 = new column internal diameter (mm) In <i>Table 5</i> : Change Sum 98.809 100.000 107.307 White point 98.811 100.000 107.304 to: Sum 94.809 100.000 107.307 White point 94.811 100.000

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PACKAGING AND STORAGE REQUIREMENTS GENERAL <i>Packaging Definitions</i>	<i>Second Supplement to USP43–NF38</i>	Online	26-Mar-2021	1-Dec-2025	NA	NA	107.304 In <i>Light-resistant container</i> . Change ?661.2?, <i>Functionality, Spectral Transmission Requirements for Light-Resistant Components and Systems</i> . to: ?661.2?, <i>Functionality Test Method, Spectral Transmission Requirements for Light-Resistant Components and Systems</i> .
ANTIBIOTICS—APPENDICES MICROBIAL ASSAYS	<i>USPNF Online</i>	Online	29-Dec-2023	1-Jan-2024	NA	NA	In two instances in <i>Appendix 1</i> equations: Change 14.020 to:

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MEASUREMENT OF STRUCTURAL STRENGTH OF SEMISOLIDS BY PENETROMETRY	APPARATUS	USPNF Online Online	17-Nov-2023	1-Dec-2023	NA	NA	14.022 In <i>Figure 2</i> : Change 66±0.25 Ø to: 65±0.25 Ø
<i>N</i> -Benzoyl-L-arginine Ethyl Ester Hydrochloride	REAGENT SPECIFICATIONS	USPNF Online Online	30-Sep-2022	1-Dec-2022	NA	NA	Change Crystallized Trypsin (USP Monograph). to: Trypsin (USP Monograph).
ACARBOSE	IMPURITIES	USPNF Online Online	29-Dec-2023	1-Jan-2024	NA	NA	In <i>Chromatographic</i> <i>Purity/Analysis</i> : Change Result = (r_U/r_A) × $(1/F)$ × 100 to: Result = (r_U/r_A) × $(1/F)$
ACARBOSE TABLETS	IDENTIFICATION N/B.	USPNF Online Online	28-Apr-2023	1-May-2023	NA	NA	Change The spectrum obtained from the <i>Sample</i> <i>solution</i> shows IR maxima in

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACYCLOVIR	ASSAY/ <i>Procedure</i>	<i>USPNF Online</i> Online	29-Apr-2022	1-May-2023	NA	NA	the regions of 3500–3200, 2950–2890, 1653–1633, and 1070–1000 cm ⁻¹ . to: The spectrum obtained from the sample preparation shows IR maxima in the regions of 3500–3200, 2950–2890, 1653–1633, and 1070–1000 cm ⁻¹ . In the <i>Sample solution</i> : Change 0.1 N sodium hydroxide to: 0.01 N sodium hydroxide
ADENOSINE	ASSAY	<i>USPNF Online</i> Online	27-Sep-2024	1-Oct-2024	NA	NA	In <i>Procedure/Buffer</i> : Change

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ADIPIC ACID IM PUR ITIES/ <i>Related</i> <i>Substances</i>	<i>USPNF Online</i> Online		18-Nov-2022	1-Dec-2022	NA	NA	tetrabutyl ammonium to: tetrabutylammo nium In <i>Table 2</i> : Change Pimelic acid 1.21 0.91 Valeric acid 1.21 0.91 to: Pimelic acid 1.21 0.91 Valeric acid 1.46 0.88
AMANTADINE IDENTIFICATIO HYDROCHLORN IDE	<i>USPNF Online</i> Online		25-Aug-2023	1-Sep-2023	NA	NA	In <i>A.</i> : Change <i>Spectroscopic</i> <i>Identification</i> <i>Tests</i> ?197?, <i>Infrared</i> <i>Spectroscopy</i> . 197A, 197K, and 197S to: <i>Spectroscopic</i> <i>Identification</i> <i>Tests</i> ?197?, <i>Infrared</i> <i>Spectroscopy</i> . 197A, 197K, or

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMIKACIN SULFATE	ASSAY	USPNF Online Online	17-Nov-2023	1-Dec-2023	NA	NA	197S Procedure for 197S In <i>Proce dure/Analysis:</i> Change $C_U =$ concentration of amikacin in the <i>Sample solution</i> (mg/mL) to: $C_U =$ concentration of Amikacin Sulfate in the <i>Sample solution</i> (mg/mL)
AMLODIPINE AND BENZAEPRI L H YDROCHLOR IDE CAPSULES	ASSAY	USPNF Online Online	27-Sep-2024	1-Oct-2024	NA	NA	In <i>Proce dure/Buffer 1:</i> Change tetrabutyl ammonium to: tetrabutylammo nium
AMOXICILLIN BOLUSES	IDENTIFICATIO N	USPNF Online Online	17-Nov-2023	1-Dec-2023	NA	NA	Change <i>Application</i> volume,

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Developing solvent system, Procedure—Proceed as directed for the Identification test under Amoxicillin Tablets.</i></p> <p>to:</p> <p><i>Application volume—5 µL.</i></p> <p><i>Developing solvent system—a mixture of methanol, chloroform, water, and pyridine (90:80:30:10).</i></p> <p><i>Procedure—Proceed as directed in Thin-Layer Chromatographic Identification Test <201>. Dry the plate with the aid of a</i></p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN FOR INJECTABLE SUSPENSION	Identification <i>USPNF Online</i>	Online	27-Oct-2023	1-Nov-2023	NA	NA	current of warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes. Change Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the solution to stand for 5 minutes before

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>use: the solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution containing the equivalent of 4 mg of amoxicillin per mL by adding 0.1 N hydrochloric acid to Amoxicillin for Injectable Suspension. Allow the solution to stand for 5 minutes before use. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							(90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN I IDENTIFICATIO NTRAMAMMA N RY INFUSION	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<p>solution. Change The solution obtained responds to the <i>Identification</i> test under <i>Amoxicillin</i> <i>Capsules</i>. to: Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 4 mg per mL. Use within 10 minutes after preparation. Apply separately 5 µL of each solution on a thin-layer c hromatographic plate coated with a 0.25-mm layer of chromat ographic silica gel mixture (see</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Chromatography</i> <621>). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). When the solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AMOXICILLIN ORAL SUSPENSION	IDENTIFICATIO N USPNF Online	Online	26-Jan-2024	1-Feb-2024	NA	NA	spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution. Change Shake a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>mL. The solution responds to the <i>Identification</i> test under <i>Amoxicillin Capsules</i>. to: Prepare a test solution by shaking a portion of Oral Suspension with a mixture of acetone and 0.1 N hydrochloric acid (4:1) to obtain a solution containing about 1 mg of amoxicillin per mL. Prepare a Standard solution of USP Amoxicillin RS in 0.1 N hydrochloric acid containing 1 mg per mL.</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Use within 10 minutes after preparation.</p> <p>Apply separately 5 µL of each solution on a thin-layer chromatographic plate coated with a 0.25-mm layer of chromatographic silica gel mixture (see <i>Chromatography</i> ?621?). Place the plate in a suitable chromatographic chamber, and develop the chromatogram in a solvent system consisting of a mixture of methanol, chloroform, water, and pyridine (90:80:30:10). When the</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ANETHOLE	DEFINITION	<i>USPNF Online</i> Online	28-Oct-2022	1-Nov-2022	NA	NA	solvent front has moved about three-fourths of the length of the plate, remove the plate from the chamber, and dry with warm air for 10 minutes. Locate the spots on the plate by spraying lightly with a solution of ninhydrin in alcohol containing 3 mg per mL, and dry at 110° for 15 minutes: the R_F value of the principal spot obtained from the test solution corresponds to that obtained from the Standard solution. Change

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ARIPRAZOLE TABLETS	PERFORMANCE TESTS	USP-NF Online	25-Aug-2023	1-Sep-2023	NA	NA	(E)-1-methyl-4-(1-propenyl)benzene to: (E)-1-methoxy-4-(1-propenyl)benzene In <i>Dissolution</i> <711>/Test 1/ <i>Procedure</i> <i>Chromatographic procedure</i> <i>Analysis:</i> Change Result = $(R_U/R_S) \times C_S \times V \times (1/L) \times 100$ to: Result = $(R_U/R_S) \times C_S \times V \times D \times (1/L) \times 100$ AND Add <i>D</i> = dilution factor of the

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATORVASTATIN CALCIUM ADDITIONAL REQUIREMENT S/USP Reference Standards ?11?	USPNF Online	Online	26-May-2023	1-Jun-2023	NA	NA	<p>Sample solution, 2</p> <p>Change USP Atorvastatin Related Compound H RS (lactone impurity) to: USP Atorvastatin Related Compound H RS</p> <p>Also known as Lactone impurity; AND Change USP Atorvastatin Related Compound I RS (acetamide impurity) to: USP Atorvastatin Related Compound I RS</p>

Monograph TitleSection __Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATORVASTATIN IM N CALCIUM PUR TABLETS ITIES/ <i>Organic</i> <i>Impurities</i>	USPNF Online	Online	30-Jun-2023	1-Jul-2023	NA	NA	Also known as Acetonide impurity; In <i>Analysis</i> : Change M_{r1} = molecular weight of atorvastatin, 558.64 M_{r2} = molecular weight of atorvastatin calcium, 1155.34 to: M_{r1} = molecular weight of atorvastatin, 558.65 M_{r2} = molecular weight of atorvastatin calcium, 1155.36
ATORVASTATIN ASSAY/ N CALCIUM <i>Procedure</i> TABLETS	USPNF Online	Online	30-Jun-2023	1-Jul-2023	NA	NA	In <i>Analysis</i> : Change M_{r1} = molecular weight of atorvastatin, 558.64 M

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATORVASTATIN PERFORMANC N CALCIUM TABLETS	USP <i>NF Online</i> Online		30-Jun-2023	1-Jul-2023	NA	NA	<p>r_2 = molecular weight of atorvastatin calcium, 1155.34</p> <p>to:</p> <p>M_{r1} = molecular weight of atorvastatin, 558.65</p> <p>M_{r2} = molecular weight of atorvastatin calcium, 1155.36</p> <p>In <i>Test 1, Test 3, Test 4, Test 5, and Test 6/Analysis:</i> Change M_{r1} = molecular weight of atorvastatin, 558.64</p> <p>M_{r2} = molecular weight of atorvastatin calcium, 1155.34</p> <p>to:</p> <p>M_{r1} = molecular</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ATORVASTATIN CALCIUM TABLETS ADDITIONAL REQUIREMENT S/USP Reference Standards ?11?	USP <i>Online</i>	Online	30-Jun-2023	1-Jul-2023	NA	NA	weight of atorvastatin, 558.65 M_r = molecular weight of atorvastatin calcium, 1155.36 In USP Atorvastatin Related Compound B RS: Change 1155.34 to: 1155.36
ATOVAQUONE IMPURITIES	USP <i>Online</i>	Online	26-May-2023	1-Jun-2023	NA	NA	Change Related Compounds System suitability solution and Sample solution: Prepare as directed in the Assay. Analysis Samples: System

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>suitability solution and Sample solution Using the chromatograms of the Sample solution and the System suitability solution, calculate the percentage of atovaquone related compounds in the portion of Atovaquone taken: to: Organic Impurities Mobile phase, Diluent, System suitability solution, Standard solution, Sample solution, Chromatograp</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI IMPURITIES N	USPNF Online	Online	17-Nov-2023	1-Dec-2023	NA	NA	<p>hic system and System suitability: Proceed as directed in the Assay.</p> <p>Analysis Sample: <i>Sample solution</i> Calculate the percentage of atovaquone related compounds in the portion of Atovaquone taken:</p> <p>In <i>Organic Impurities/ Table 2</i>: Change 3'-N-Demet hyl-3'-N-[(4-methylphenyl)sulfonyl]azithromycin^m to: 3'-N-[[4-(Acetylamino</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							o)phenyl]sulfonyl}-3?-demethyl azithromycin ^m AND In <i>Table</i> 2/footnote m: Change (2 <i>R</i> ,3 <i>S</i> ,4 <i>R</i> ,5 <i>R</i> ,8 <i>R</i> ,10 <i>R</i> ,11 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,14 <i>R</i>)-13-[(2,6-Dideoxy-3- <i>C</i> -methyl-3- <i>O</i> -methyl-?- <i>L</i> -ribo-hexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3- <i>N</i> -(4-methylphenyl)sulfonyl)- <i>N</i> -methylamino]-3,4,6-trideoxy-β- <i>D</i> -xylo-hexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one.

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description	
AZITHROMYCI N	CHEMICAL INFORMATION	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	to: (2R,3S,4R,5R, ,8R,10R,11R ,12S,13S,14R)-13-[(2,6-Dideoxy-3-C -meth yl-3-O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N -(4-acetamidop h en ylsulf onyl)-N -methylamino]-3 ,4,6-trideoxy-?- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. Change 748.98 to: 749.00

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI IMPURITIES N	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	AND Change 767.00 to: 767.01 AND Change 785.02 to: 785.03 In <i>Organic Impurities/ Table 2</i> : Change: 3'-N -[4-(Acetylamino)phenyl]sulfonyl}-3'-demethyl azithromycin ^m to: 3'-N -D emet hyl-3'-N -[(4-methylphenyl)sulfonyl]azithromycin ^m AND In <i>Organic Impurities/ Table 2</i> /footnote m: Change

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							(2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-L-ribohexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-acetamidophenylsulfonyl)-N-methylamino]-3,4,6-trideoxy-D-xyloribopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. to: (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-13-[(2,6-Dideoxy-3-C-methyl-3-O-methyl-L-ribohexopyranosyl)oxy]-2-ethyl-3,4,10-trihydroxy-3,5,6,8,10,12,14-heptamethyl-11-[[3-[N-(4-acetamidophenylsulfonyl)-N-methylamino]-3,4,6-trideoxy-D-xyloribopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one.

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description	
AZITHROMYCI N	ADDITIONAL R EQUIREMENT S	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	xy-3-C -meth yl-3-O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N -(4-methylpheny lsulfon yl)-N -methylamino]-3 ,4,6-trideoxy-β- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. In <i>USP</i> <i>Reference</i> <i>Standards</i> ?11?/USP Azae rythromycin A RS: Change 734.96 to: 734.97 AND In <i>USP</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCI IMPURITIES N FOR INJECTION	<i>USPNF Online</i> Online		28-Jul-2023	1-Aug-2023	NA	<i>USPNF 2024</i> <i>Issue 2</i>	Azithromycin Related Compound F RS: Change 762.97 to: 762.98 AND In USP Desosa minylazithromyc in RS: Change 590.79 to: 590.80 In footnote m in <i>Table 2:</i> Change (2R,3S,4R,5R ,8R,10R,11R ,12S,13S,14R)-13-[(2,6-Dideo xy-3-C -meth yl-3-O-methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3-[N

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							-(4-acetamidop h en ylsulf onyl)- <i>N</i> -methylamino]-3 ,4,6-trideoxy-?- D-xylo -hexopyranosyl] oxy]-1-oxa-6-az acyclopentadec an-15-one. to: (2 <i>R</i> ,3 <i>S</i> ,4 <i>R</i> ,5 <i>R</i> ,8 <i>R</i> ,10 <i>R</i> ,11 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,14 <i>R</i>)-13-[(2,6-Dideo xy-3- <i>C</i> -meth yl-3- <i>O</i> -methyl-?- L-ribo -hexopyranosyl) oxy]-2-ethyl-3,4, 10-trihydroxy-3, 5,6,8,10,12,14- heptamethyl-11- [[3- <i>N</i> -(4-methylpheny lsulfon yl)- <i>N</i> -methylamino]-3

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZITHROMYCIN FOR INJECTION ADDITIONAL REQUIREMENTS	USPNF Online	Online	28-Jul-2023	1-Aug-2023	NA	USPNF 2024 Issue 2	,4,6-trideoxy-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one. In USP Reference Standards ?11?/USP Azarhythromycin A RS: Change 734.96 to: 734.97 AND In USP Azithromycin N-oxide RS: Change 764.98 to: 765.00 AND In USP N-Demethylazithromycin RS: Change 734.96 to: 734.97

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZTEC MARIGOLD ZEAXANTHIN EXTRACT	COMPOSITION <i>/Procedure 4: Stereoisomeric Composition</i>	USPNF Online Online	27-Jan-2023	1-Feb-2023	NA	NA	AND In USP Desosa minylazithromyc in RS: Change 590.79 to: 590.80 In System suitabil ity/Suitability re quire ments/ Resolution: Change (3R,3?S meso)-zeaxanthin to: (3R,3?S)-zeaxanthin AND In Analysis: Change (3R,3?S meso)-zeaxanthin to: (3R,3?S)-zeaxanthin AND

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
AZTEC MARIGOLD ZEAXANTHIN EXTRACT	IDENTIFICATIO N/C.	USPNF Online Online	27-Jan-2023	1-Feb-2023	NA	NA	In Acceptance criteria: Change (3R,3?S meso)-Zeaxanthin to: (3R,3?S)-Zeaxanthin Change (3R,3?S meso)-zeaxanthin to: (3R,3?S)-zeaxanthin Change (±)-1-[[?-(2-Isop
BISOPROLOL FUMARATE	CHEMICAL INFORMATION	USPNF Online Online	28-Apr-2023	1-May-2023	NA	NA	p -tolyl]oxy]-3-(iso propyl amino)-2 -propanol fumarate (2:1) (salt) to: (±)-1-[[?-(2-Isop

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BLACK CUMIN DEFINITION SEED THYMO QUINONE OIL	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	<i>p</i> -tolyl]oxy]-3-(iso propylamino)-2- propanol fumarate (2:1) (salt) Change carvacol to: carvacrol
BLACK CUMIN SPECIFIC SEED THYMO TESTS QUINONE OIL	USPNF Online	Online	25-Aug-2023	1-Sep-2023	NA	NA	In <i>Fats and</i> <i>Fixed Oils</i> ?401?, <i>Procedures,</i> <i>Fatty Acid</i> <i>Co</i> <i>mposition/ Table</i> 2: Change Linoleic to: Linoleic acid
BROMPHENIR SPECIFIC AMINE TESTS MALEATE	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	Change Optical Rotation ?781? to: Optical Rotation, <i>Angular</i> <i>Rotation</i> ?781A?

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BUPIVACAINE ASSAY/ HYDROCHLOR <i>Procedure</i> IDE INJECTION	USPNF <i>Online</i> Online		28-Apr-2023	1-May-2023	NA	NA	In <i>Chromatographi</i> <i>c</i> <i>system/Column:</i> Change 4-mm x 30-cm; packing L1 to: 3.9-mm x 30-cm; packing L1 AND In <i>System</i> <i>suitability:</i> Change [Note—The relative retention times for bupivacaine hydrochloride and dibutyl phthalate are about 1.0 and 1.2, respectively.] to: [Note—The relative retention times for bupivacaine and dibutyl

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>phthalate are about 1.0 and 1.2, respectively.] AND In System suitability/Suitability requirements: Change Resolution: NLT 2.0 between bupivacaine hydrochloride and dibutyl phthalate Relative standard deviation: NMT 1.0% for the ratio of bupivacaine to the internal standard from three replicate injections to: Resolution: NLT 2.0 between</p>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CALCITONIN SALMON	IMPURITIES	<i>USPNF Online</i> Online	27-Sep-2024	1-Oct-2024	NA	NA	bupivacaine and dibutyl phthalate Relative standard deviation: NMT 1.0% for the peak response ratio of bupivacaine to the internal standard from three replicate injections <i>In Procedure:</i> <i>Related</i> <i>Peptides and</i> <i>Other Related</i> <i>Sub</i> <i>stances/Test 2:</i> Change Resolution solution: to: System suitability solution: AND <i>In Procedure:</i> <i>Related</i>

Monograph Title Section Sort descending	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>Peptides and Other Related Sub stances/Test 2/Sample solution: Change 100 mL of Buffer C. to: 100 ?L of Buffer C.</i>

Pagination

- [Page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Page 4](#)
- [Page 5](#)
- [Next page Next ›](#)
- [Last page Last »](#)