

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title	Section	Source	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RESIDUAL	1. INTRODUCT	USPNF Online	Online	31-Jan-2025	1-May-2025	NA	NA	In paragraph 3:

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HOST CELL ION AND PROTEIN MEASUREMENT IN BIOPHARMACEUTICALS BY LIQUID CHROMATOGRAPHY –MASS SPECTROMETRY							Change Residual HCP ELISA to: HCP ELISA
RESIDUAL HOST CELL PROTEIN MEASUREMENT IN BIOPHARMACEUTICALS BY LIQUID CHROMATOGRAPHY –MASS SPECTROMETRY	7. BEST PRACTICES FOR REPORTING DATA FROM ELISA VERSUS LC-MS/MS	USPNF Online	31-Jan-2025	1-May-2025	NA	NA	In paragraph 1 in 7.3 <i>Comparison of ELISA and LC-MS/MS HCP Results:</i> Change the comparing to: comparing
RESIDUAL HOST CELL PROTEIN MEASUREMENT IN BIOPHARMACEUTICALS BY LIQUID CHROMATOGRAPHY –MASS SPECTROMETRY	4. SAMPLE PREPARATION, CHROMATOGRAPHIC SEPARATION, AND MASS SPECTROMETRY ANALYSIS	USPNF Online	31-Jan-2025	1-May-2025	NA	NA	In paragraph 4 in 4.1 <i>Sample Preparation:</i> Change product (or polysorbate) to: product protein (or polysorbate)
HYDROXYPROPYL BETADEX	IMPURITIES	USPNF Online	31-Jan-2025	1-Feb-2025	NA	NA	In <i>Limit of Betadex,</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RESIDUAL HOST CELL PROTEIN MEASUREMENT IN BIOPHARMACEUTICALS BY LIQUID CHROMATOGRAPHY –MASS SPECTROMETRY	5. QUANTITATION OF HCPS	USPNF Online	Online	31-Jan-2025	1-May-2025	NA	NA	<p><i>Propylene Glycol, and Other Related Substances/ Chromatographic system: Change Column temperature: 40° to: Temperatures Detector: 40° Columns: 40°</i></p> <p>In three instances in 5.1 <i>Methods for HCP Quantitation:</i> Change product to: product protein</p>
DIBUCAINE	CHROMATOGRAPHIC PURITY	USPNF Online	Online	27-Dec-2024	1-Jan-2025	NA	NA	Change Proceed as directed for <i>Chromatographic purity</i> under

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OXALIPLATIN IMPURITIES	USPNF Online	Online	27-Dec-2024	1-Jan-2025	NA	NA	<p><i>Dibucaine Hydrochloride, to:</i> Proceed as directed for <i>Organic Impurities</i> under <i>Dibucaine Hydrochloride, In Organic Impurities, Procedure 1/Analysis:</i> Change Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100$ <i>In Acidity or Alkalinity/Analysis:</i> Change If the solution is blue, titrate with 0.01 N hydrochloride acid to:</p>
ACESULFAME POTASSIUM SPECIFIC TESTS	USPNF Online	Online	27-Dec-2024	1-Jan-2025	NA	NA	<p><i>In Acidity or Alkalinity/Analysis:</i> Change If the solution is blue, titrate with 0.01 N hydrochloride acid to:</p>

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INDOMETHACIN SODIUM ADDITIONAL REQUIREMENTS	USPNF Online	Online	22-Nov-2024	1-Dec-2024	NA	NA	If the solution is blue, titrate with 0.01 N hydrochloric acid In <i>USP Reference Standards</i> ?11?/USP Indomethacin Related Compound A RS: Change (C ₁₂ H ₁₃ NO ₃) to: C ₁₂ H ₁₃ NO ₃ AND In <i>USP Reference Standards</i> ?11?/USP Indomethacin Related Compound B RS: Change (C ₇ H ₅ ClO ₂) to: C ₇ H ₅ ClO ₂ In <i>Procedure 1/Analysis</i> : Change
TAMSULOSIN HYDROCHLORIDE ASSAY	USPNF Online	Online	22-Nov-2024	1-Dec-2024	NA	NA	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CAPSULES									<p>$C_S =$ concentration of USP Tamsulosin Hydrochloride RS in the <i>Standard stock solution</i> (mg/mL) to: $C_S =$ concentration of USP Tamsulosin Hydrochloride RS in the <i>Standard solution</i> (mg/mL)</p>
TAMSULOSIN PERFORMANC HYDROCHLORE TESTS IDE CAPSULES		USPNF Online	Online	22-Nov-2024		1-Dec-2024	NA	NA	<p>In <i>Dissolution</i> ?711?/Test 1/Analysis: Change $Result_3 = \{[(C_3 \times V_2) + (C_2 + V_S)] \times (1/L) \times 100\} + Result_1$ to: $Result_3 = \{[(C_3 \times V_2) + (C_2 \times V_S)] \times (1/L) \times 100\} +$</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUCONAZOL IMPURITIES E	USPNF Online	Online	25-Oct-2024	1-Nov-2024	NA	NA	Result ₁ In <i>Organic Impurities/Analysis</i> : Change Calculate the percentage of any individual unspecified impurity in the portion of Fluconazole taken: to: Calculate the percentage of any other specified and unspecified impurity in the portion of Fluconazole taken: AND Change $r_U = \text{peak response of any individual impurity from the Sample solution}$

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ALUMINUM SULFATE	CHEMICAL INFORMATION	USPNF Online	Online	25-Oct-2024		1-Nov-2024	NA	NA	to: r_U = peak response of any other specified and unspecified impurity from the <i>Sample solution</i> Change $Al_2(SO_4)_3 \cdot xH_2O$ (anhydrous) 342.15 to: $Al_2(SO_4)_3 \cdot xH_2O$ AND Change Anhydrous 342.16 to: Anhydrous 342.13
CALCITONIN SALMON	SPECIFIC TESTS	USPNF Online	Online	27-Sep-2024		1-Oct-2024	NA	NA	In <i>Bioid entity/Medium B</i> : Change 2 mM RPMI 1640 to: RPMI 1640
METHOTREXA ASSAY		USPNF Online	Online	27-Sep-2024		1-Oct-2024	NA	NA	In

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TE									<i>Proce dure/Buffer:</i> Correct the reagent cross reference <u>1 N sodium hydroxide</u> to: 1 N <u>sodium hydroxide</u>
RALBUMIN HUMAN	IMPURITIES	<i>USPNF Online</i>	Online	27-Sep-2024		1-Oct-2024	NA	NA	<i>In Limit of High Molecular Weight Proteins:</i> Change Acceptance criteria Individual impurities: NMT 1.0% to: Acceptance criteria: NMT 1.0%
AMLODIPINE AND BENZAEPRI L H YDROCHLOR IDE CAPSULES	ASSAY	<i>USPNF Online</i>	Online	27-Sep-2024		1-Oct-2024	NA	NA	<i>In Proce dure/Buffer 1:</i> Change tetrabutyl ammonium

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUCONAZOLE TABLETS	ADDITIONAL REQUIREMENTS	USPNF Online	Online	27-Sep-2024		1-Oct-2024	NA	NA	to: tetrabutylammonium In <i>USP Reference Standards</i> <11>/USP Fluconazole Related Compound B RS: Change C ₁₃ H ₁₃ FN ₉ O to: C ₁₃ H ₁₃ FN ₆ O
PHENOXYBENZAMINE HYDROCHLORIDE	ASSAY	USPNF Online	Online	27-Sep-2024		1-Oct-2024	NA	NA	In <i>Procedure/Solution A</i> : Change sodium phosphate monobasic to: sodium phosphate, monobasic, anhydrous
CETIRIZINE HYDROCHLORIDE	IMPURITIES	USPNF Online	Online	27-Sep-2024		1-Oct-2024	NA	NA	In <i>Organic Impurities, Procedure 2/Solution A</i> : Change

Monograph TitleSection	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MOXIFLOXACIN TABLETS	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	tetrabutyl ammonium to: tetrabutylammonium In <i>Organic Impurities/Buffer</i> : Change tetrabutyl ammonium to: tetrabutylammonium AND In <i>Organic Impurities/Solution C</i> : Change tetrabutyl ammonium to: tetrabutylammonium
CALCITONIN SALMON	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	In <i>Procedure: Related Peptides and Other Related Substances/Test 2</i> : Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
KETOCONAZO ASSAY LE	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	<p>Resolution solution: to: System suitability solution: AND <i>In Procedure: Related Peptides and Other Related Substances/Test 2/Sample solution:</i> Change 100 mL of <i>Buffer C.</i> to: 100 ?L of <i>Buffer C.</i> In <i>Proce dure/Buffer:</i> Change tetrabutyl ammonium to: tetrabutylammo nium</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RALBUMIN HUMAN	ASSAY	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	In <i>Albumin Content/Native stock running buffer</i> . Change glycerol to: glycine
ADENOSINE	ASSAY	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	In <i>Procedure/Buffer</i> . Change tetrabutyl ammonium to: tetrabutylammonium
CETIRIZINE HYDROCHLORIDE TABLETS	IMPURITIES	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	In <i>Organic Impurities/Buffer</i> . Change tetrabutyl ammonium to: tetrabutylammonium
PACLITAXEL	IMPURITIES	USPNF Online	Online	27-Sep-2024	1-Oct-2024	NA	NA	In <i>Organic Impurities/Table 4</i> : Change ^a (2aR,4S,4aS,6R,9S,11S,12S,12aR

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							,12bS)-12b-(Acetyloxy)-12-(benzyloxy)-1,2a,3,4,4a,6,9,10,11,12,12a,12b-dodecahydro-4,6,9,11-tetrahydroxy-4a,8,13,13-tetramethyl-
							<i>H</i> -cyclodeca[3,4]benz[1,2- <i>b</i>]oxet-5-one. to: ^a (2a <i>R</i> ,4 <i>S</i> ,4a <i>S</i> ,6 <i>R</i> ,9 <i>S</i> ,11 <i>S</i> ,12 <i>S</i> ,12a <i>R</i> ,12b <i>S</i>))-12b-(Acetyloxy)-12-(benzyloxy)-1,2a,3,4,4a,6,9,10,11,12,12a,12b-dodecahydro-4,6,9,11-tetrahydroxy-4a,8,13,13-tetramethyl-7,11-methano-5 <i>H</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
POTASSIUM PHOSPHATES COMPOUNDED INJECTION	ASSAY	USPNF Online	Online	30-Aug-2024		1-Sep-2024	NA	NA	-cyclodeca[3,4] benz[1,2- <i>b</i>]oxet-5-one. In <i>Procedure for Potassium/Chromatographic system/Column: Change 4.6-mm x 25-cm; packing L97 to: 4-mm x 25-cm; packing L97 AND In Procedure for Phosphate/Chromatographic system/Column: Change 4.6-mm x 25-cm; packing L103 to: 4-mm x 25-cm; packing L103</i> In <i>USP</i>
NICARDIPINE	ADDITIONAL R	USPNF Online	Online	26-Jul-2024		1-Aug-2024	NA	NA	

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCHLOR EQUIREMENT IDE S							<p><i>Reference Standards</i> <11>/USP Nicardipine Related Compound B RS: Change 3-{2-[Benzyl(methyl)amino]ethyl}5-methyl 2,6-dimethyl-4-(3-nitrophenyl)pyridine-3,5-dicarboxylate oxalate.</p> <p>to: 3-{2-[Benzyl(methyl)amino]ethyl} 5-methyl 2,6-dimethyl-4-(3-nitrophenyl)pyridine-3,5-dicarboxylate oxalate.</p> <p>AND In <i>USP Reference Standards</i> <11>/USP Nicardipine Related Compound D RS: Change</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
EXENATIDE INJECTION	PRODUCT-RELATED SUBSTANCES AND IMPURITIES	USPNF Online	Online	26-Jul-2024		1-Aug-2024	NA	NA	<p>Bis{2-[benzyl(methyl)amino]ethyl}2,6-dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylate dihydrochloride.</p> <p>to:</p> <p>Bis{2-[benzyl(methyl)amino]ethyl} 2,6-dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylate dihydrochloride.</p> <p>In <i>Procedure/Chromatographic system/Column:</i> Change 4.6-mm x 10-cm; 3-µm packing L52 to: 4.6-mm x 10-cm; 3-µm packing L52;</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CRANBERRY IDENTIFICATION FRUIT JUICE DRY EXTRACT	USP <i>Online</i>	Online	26-Jul-2024	1-Aug-2024	NA	NA	two columns in series In <i>A. HPTLC for Articles of Botanical Origin <203>/Sample solution:</i> Change Mix 50 mg of Cranberry Fruit Juice Dry Extract with 7 mL of water. Sonicate for 10 min at room temperature, centrifuge, and save the supernatant. Precondition an SPE cartridge (L2; 500 mg/6 mL) with 3 mL of methanol, and drain it with suction. Load 3 mL of water onto the cartridge and apply suction until the solvent

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>reaches 1–2 mm above the top of the cartridge's stationary phase. Then load the cartridge with 1.5 mL of the supernatant, apply suction, and discard the eluate. Add 1 mL of a mixture of water and methanol (80:20). Load 1 mL of methanol and collect the eluate as the <i>Sample solution</i>.</p> <p>to:</p> <p>Mix 50 mg of Cranberry Fruit Juice Dry Extract with 7 mL of water. Sonicate for 10 min at room temperature,</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							centrifuge, and save the supernatant. Precondition an SPE cartridge (L2; 500 mg/6 mL) with 3 mL of methanol, and drain it with suction. Load 3 mL of water onto the cartridge and apply suction until the solvent reaches 1–2 mm above the top of the cartridge's stationary phase. Then load the cartridge with 1.5 mL of the supernatant, apply suction, and discard the eluate. Add 1 mL of a mixture of water and methanol

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NAPROXEN SODIUM	SPECIFIC TESTS	USPNF Online	Online	28-Jun-2024		1-Aug-2024	NA	NA	(80:20), apply suction, and discard the eluate. Load 1 mL of methanol and collect the eluate as the <i>Sample solution</i> . In <i>Loss on Drying</i> : <731>/Analysis: Change Dry at 105° for 3 h. to: Dry in vacuum at 105° for 3 h.
EDETATE DISODIUM COMPOUNDED OPHTHALMIC SOLUTION	DEFINITION	USPNF Online	Online	28-Jun-2024		1-Jul-2024	NA	NA	In two instances: Change to a pH between 6.5 and 7.5. to: to a pH between 6.1 and 7.1.
DESCRIPTION AND SOLUBILITY	Hydrogenated Castor Oil	USPNF Online	Online	28-Jun-2024		1-Aug-2026	NA	NA	Change White, crystalline wax.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Freely soluble in water, in saline TS, and in dextrose solutions; very slightly soluble in alcohol; practically insoluble in chloroform and in ether. Insoluble in water and in most common organic solvents. <i>NF</i> category: Stiffening agent; lubricant; film-forming agent; release-modifying agent.</p> <p>to: White, crystalline wax. Insoluble in water and in most common organic solvents. <i>NF</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NEOMYCIN AND POLYMYXIN B SULFATES AND LIDOCAINE CREAM	ASSAY	USPNF Online	Online	28-Jun-2024		1-Jul-2024	NA	NA	<p><i>category:</i> Stiffening agent; lubricant; film-forming agent; release-modifying agent.</p> <p>Change Assay for neomycin in—Proceed with Cream as directed in the <i>Assay for neomycin</i> under <i>Neomycin and Polymyxin B Sulfates Cream</i>.</p> <p>Assay for polymyxin B—Proceed with Cream as directed in the <i>Assay for polymyxin B</i> under <i>Neomycin and Polymyxin B Sulfates Cream</i>.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to:</p> <p>Assay for neomycin</p> <p>in—Proceed as directed under <i>Antibiotics—Microbial Assays</i> ?81?, using an accurately weighed portion of Cream, equivalent to about 1.75 mg of neomycin, shaken in a separator with about 50 mL of ether, and extracted with four 20-mL portions of <i>Buffer B.3</i>. Combine the aqueous extracts, and dilute with <i>Buffer B.3</i> to an appropriate volume to obtain a stock</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>solution of convenient concentration. Dilute this stock solution quantitatively and stepwise with <i>Buffer B.3</i> to obtain a <i>Test Dilution</i> having a concentration assumed to be equal to the median dose level of the Standard.</p> <p>Assay for polymyxin B—Proceed as directed under <i>Antibiotics—Microbial Assays</i> ?81?, using an accurately weighed portion of Cream shaken with about 50 mL of ether in a separator, and extracted with</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>four 25-mL portions of <i>Buffer B.6</i>. Combine the aqueous extracts, and dilute with <i>Buffer B.6</i> to an appropriate volume to obtain a stock solution. Dilute this stock solution quantitatively and stepwise with <i>Buffer B.6</i> to obtain a <i>Test Dilution</i> having a concentration assumed to be equal to the median dose level of the Standard (10 Polymyxin B Units per mL). Add to each test dilution of the Standard a quantity of USP</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TYLOSIN INJECTION	SPECIFIC TESTS	USPNF Online	Online	31-May-2024		1-Jun-2024	NA	NA	Neomycin Sulfate RS, dissolved in Buffer B.6, to obtain the same concentration of neomycin present in the Test Dilution. Change pH ?921? to: pH ?791?
CEFUROXIME AXETIL FOR ORAL SUSPENSION	ASSAY	USPNF Online	Online	31-May-2024		1-Jun-2024	NA	NA	In Procedure/System suitability. Change [Note—The relative retention times for acetanilide, cefuroxime axetil diastereoisomer B, cefuroxime axetil diastereoisomer A, and cefuroxime axetil delta-3

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METRONIDAZ OLE CAPSULES	USPNF Online	Online	31-May-2024	1-Jun-2024	NA	NA	<p>isomers are 0.4, 0.8, 0.9, and 1.0, respectively.] to: [Note—The relative retention times for cefuroxime axetil diastereoisomer B, cefuroxime axetil diastereoisomer A, and cefuroxime axetil delta-3 isomers are 0.8, 0.9, and 1.0, respectively.] In <i>Organic Impurities</i>: Change Mobile phase, Sample solution, and Chromatographic system: Proceed as directed in the Assay.</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>to:</p> <p>Mobile phase and Chromatographic system: Proceed as directed in the Assay. AND Change Standard solution: 1 µg/mL of metronidazole from USP Metronidazole RS and 2 µg/mL of tinidazole related compound A from USP Tinidazole Related Compound A RS in <i>Mobile phase</i> to: Standard solution: 1 µg/mL of</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>metronidazole from USP Metronidazole RS and 2 µg/mL of tinidazole related compound A from USP Tinidazole Related Compound A RS in <i>Mobile phase</i> Sample solution: Nominally 1 mg/mL of metronidazole prepared as follows. Mix the contents of Capsules (NLT 20). Transfer an amount equivalent to 100 mg of metronidazole to a 100-mL volumetric flask, add 80 mL of <i>Mobile phase</i>,</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROCAINAMID ASSAY E HYDROCHLORIDE	USPNF Online	Online	31-May-2024	1-Jun-2024	NA	NA	and sonicate with intermittent shaking for 10 min. Shake for 30 min, and dilute with <i>Mobile phase</i> to volume. Centrifuge a portion of the solution. In <i>Resolution solution</i> : Change <i>p</i> -aminobenzoic acid to: <i>p</i> -aminobenzoic acid
DOCETAXEL IMPURITIES	USPNF Online	Online	31-May-2024	1-Jun-2024	NA	NA	In <i>Organic Impurities, Procedure 1</i> : Change System suitability solution, Standard solution, Sample solution, and Chromatogram

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RIVASTIGMINE ADDITIONAL R TARTRATE EQUIREMENT S	USPNF Online Online		26-Apr-2024	1-May-2024	NA	NA	<p>hic system: Proceed as directed in the Assay. to: Mobile phase, Diluent, System suitability solution, Standard solution, Sample solution, and Chromatographic system: Proceed as directed in the Assay. In USP Reference Standards ?11?: Change USP Rivastigmine Tartrate R-Isomer RS to: USP Rivastigmine</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DOXORUBICIN ASSAY HYDROCHLORIDE	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	Tartrate R-Isomer RS (R)-3-[1-(Dimethylamino)ethyl]phenyl ethylmethylcarbamate, hydrogen tartrate. C ₁₄ H ₂₂ N ₂ O ₂ · C ₄ H ₆ O ₆ 400.42 In <i>Procedure/System suitability solution</i> : Add link to USP Store for USP Epirubicin Hydrochloride RS
DILUTED IMPURITIES ISOSORBIDE MONONITRATE	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	In <i>Organic Impurities/Standard solution</i> : Change isosorbide related compound A to: isosorbide mon

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>onitrate related compound A AND In System <i>suitability/Suitability</i> require <i>ments/Relative standard deviation:</i> Change isosorbide related compound A, to: isosorbide mononitrate related compound A, AND In four instances in <i>Analysis:</i> Change isosorbide related compound A, to: isosorbide mononitrate related compound A,</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
BROMPHENIRAMINE MALEATE SPECIFIC TESTS	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	AND In <i>Table 1</i> : Change Isosorbide related compound A to: Isosorbide mononitrate related compound A Change Optical Rotation ?781? to: Optical Rotation, Angular Rotation ?781A?
RIVASTIGMINE TARTRATE IMPURITIES	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	In <i>Organic Impurities/Procedure 1/Impurity Table 1/footnote d</i> : Change 3-Nitrophenyl ethyl(methyl)carbamate. to: 4-Nitrophenyl et

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ISOSORBIDE IMPURITIES MONONITRATE TABLETS	USPNF Online	Online	26-Apr-2024	1-May-2024	NA	NA	<p>hyl(methyl)carbamate. In <i>Organic Impurities/Standard solution</i>: Change isosorbide related compound A to: isosorbide mononitrate related compound A AND In <i>System suitability/Suitability requirements/Relative standard deviation</i>: Change isosorbide related compound A, to: isosorbide mononitrate related compound A,</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DAPSONE TABLETS	PERFORMANCE TESTS	USPNF Online	Online	26-Apr-2024		1-May-2024	NA	NA	<p>AND</p> <p>In four instances in <i>Analysis</i>: Change isosorbide related compound A, to: isosorbide mononitrate related compound A, AND</p> <p>In <i>Table 1</i>: Change Isosorbide related compound A to: Isosorbide mononitrate related compound A</p> <p>In <i>Dissolution ?711?/Standard solution</i>: Change USP Dapsone RS of a known concentration in <i>Medium</i> to:</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LIDOCAINE	ASSAY	USPNF Online	Online	29-Mar-2024		1-Apr-2024	NA	NA	<p>(L/1000) mg/mL of USP Dapsone RS in <i>Medium</i>, where <i>L</i> is the label claim in mg/Tablet. Transfer a portion of this solution containing 0.2 mg of dapsone to a 25-mL volumetric flask, add 5 mL of 1 N sodium hydroxide, and dilute with water to volume.</p> <p>In <i>Procedure</i>: Change Column: 3.9-mm x 30-cm; 4-μm packing L1 to: Column: 3.9-mm x 30-cm; 10-μm packing L1</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ENSULIZOLE	IDENTIFICATION	USPNF Online	Online	29-Mar-2024		1-Apr-2024	NA	NA	In <i>B.</i> : Change The retention time of the major peak of the <i>Sample solution</i> exhibits maxima and minima at the same wavelengths as those of the <i>Standard solution</i> , as obtained in the Assay. to: The retention time of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i> , as obtained in the Assay.
LIDOCAINE, R ACEPINEPHRI NE AND TETRACAINE	DEFINITION	USPNF Online	Online	29-Mar-2024		1-Apr-2024	NA	NA	Change Prepare Lidocaine, Racepinephrine, and

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCHLORIDES COMPOUNDED TOPICAL GEL							<p>Tetracaine Hydrochlorides Compounded Topical Gel containing 40 mg/mL of lidocaine hydrochloride, 1 mg/mL of racepinephrine hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Sterile Preparations</i> <797>).</p> <p>to: Prepare Lidocaine, Race pinephrine, and Tetracaine Hydrochlorides Compounded Topical Gel containing 40 mg/mL of</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							lidocaine hydrochloride, 1 mg/mL of racepinephrine hydrochloride, and 10 mg/mL of tetracaine hydrochloride as follows (see <i>Pharmaceutical Compounding—Nonsterile Preparations</i> <795>).

Pagination

- [Page 1](#)
- [Page 2](#)
- [Page 3](#)
- [Page 4](#)
- [Page 5](#)
- [Page 6](#)
- [Page 7](#)
- [Page 8](#)
- [Page 9](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)
