

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUTICASONE IM	USP41–NF36	1836	30-Nov-2018	1-Dec-2018	USP43–NF38	USP42–NF37	In the <i>Tailing</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROPIONATE INHALATION POWDER	PURITIES/ <i>Organic Impurities/System suitability</i>	USP41–NF36	1960	30-Nov-2018	1-Dec-2018	USP43–NF38	USP42–NF37		<i>factor:</i> Change NLT 1.3 to: NMT 1.3
GLUTARAL CO NCENTRATE	ASSAY/ <i>Procedure</i>	USP41–NF36	1960	30-Nov-2018	1-Dec-2018	USP43–NF38	USP42–NF37		In the variable definition list in <i>Analysis:</i> Change W = weight of Concentrate taken (g) to: W = nominal weight of glutaral taken (g)
AZEOTROPIC ISOPROPYL ALCOHOL	ADDITIONAL REQUIREMENT S/ <i>USP Reference Standards <11></i>	USP41–NF36	2257	30-Nov-2018	1-Dec-2018	USP43–NF38	USP42–NF37		Line 1 of USP 2-Propanol System Suitability RS: Change It contains 0.1% of each of the following: ethyl ether, acetone, isopropyl alcohol, diisopropyl ether, 1-propanol, and

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
METOPROLOL CHEMICAL TARTRATE INFORMATION	USP41–NF36	2712	30-Nov-2018	1-Dec-2018	USP43–NF38	USP42–NF37	2-butanol. to: It is a mixture of the following: ethyl ether (0.1%), acetone (0.1%), diisopropyl ether (0.1%), 1-propanol (0.1%), 2-butanol (0.1%), and isopropyl alcohol (99.5%). Line 4: Change (±)-1-(Isopropyl amin o)-3-[p -(2-methoxyethy l)phenoxy]-2-pr opanol l-(+)-tartrate (2:1) (salt); 1-(Isopropylami no)-3-[p -(2-methoxyethy l)phenoxy]-2-pr opanol (2:1) <i>dextro</i>-tartrate salt

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							to: (±)-1-(Isopropyl amin o)-3-[p -(2-methoxyethy l)phenoxy]-2-pr opanol (+)-tartrate (2:1) (salt); 1-(Isopropylami no)-3-[4-(2-met hoxyethyl)phen oxy]propan-2-ol L-tartrate
AMLODIPINE DEFINITION AND ATORVAS TATIN TABLETS	<i>First Supplement to USP41–NF36</i>	8270	30-Nov-2018	1-Dec-2018	<i>USP43–NF38</i>	<i>USP42–NF37</i>	Line 4: Change (C ₃₃ H ₃₄ FN ₂ O ₅) to: (C ₃₃ H ₃₅ FN ₂ O ₅)
AMLODIPINE ASSAY/ AND ATORVAS TATIN TABLETS	<i>First Supplement to USP41–NF36</i>	8270	30-Nov-2018	1-Dec-2018	<i>USP43–NF38</i>	<i>USP42–NF37</i>	In the second Calculate statement in <i>Analysis</i> : Change (C ₃₃ H ₃₄ FN ₂ O ₅) to: (C ₃₃ H ₃₅ FN ₂ O ₅)
AMLODIPINE PERFORMANC AND ATORVASE TATIN TABLETS	<i>First Supplement to USP41–NF36</i>	8270	30-Nov-2018	1-Dec-2018	<i>USP43–NF38</i>	<i>USP42–NF37</i>	In the second Calculate statement in <i>Analysis</i> : Change
	<i>TESTS/ Dissolution <711></i>						

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACAMPROSAT IM E CALCIUM	<i>First</i> PURITIES/ <i>Limit Supplement to of Acamprosate USP41–NF36 Related Compound A</i>	8263	30-Nov-2018	1-Dec-2018	USP43–NF38	USP42–NF37	(C₃₃H₃₄FN₂O₅) to: (C₃₃H₃₅FN₂O₅) AND In <i>Tolerances</i>: Change (C₃₃H₃₄FN₂O₅) to: (C₃₃H₃₅FN₂O₅) In the variable definition list in <i>Analysis</i>: Change C_S = concentration of USP Acamprosate Calcium Related Compound A RS in the <i>Standard solution</i> (µg/mL) to: C_S = concentration of USP Acamprosate Related Compound A RS in the

Monograph Title Section		Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NAPROXEN SODIUM TABLETS	IM PURITIES/Organic Impurities	<i>First Supplement to USP41–NF36</i>	8363	30-Nov-2018	1-Dec-2018	<i>USP43–NF38</i>	<i>USP42–NF37</i>	<i>Standard solution (µg/mL)</i>
		In the System suitability solution: Change 0.5 mg/mL of USP Naproxen Sodium RS and 0.5 µg/mL of USP Naproxen Related Compound A RS in <i>Diluent</i> , from <i>Standard stock solution 1</i> and <i>Standard stock solution 2</i> , respectively to: 0.5 µg/mL of USP Naproxen Related Compound A RS from <i>Standard stock solution 2</i> and 0.5 mg/mL of USP Naproxen Sodium RS in <i>Diluent</i>						

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OCTOCRYLEN SPECIFIC E	TESTS/Acidity	<i>First Supplement to USP41–NF36</i>	8379	30-Nov-2018		1-Dec-2018	USP43–NF38	USP42–NF37	Line 1 of <i>Acceptance criteria</i> : Change NMT 0.18 mL of <i>Titrant</i> is required to: NMT 0.18 mL of <i>Titrant</i> /g is required
OXYBUTYNIN IM CHLORIDE EX PUR TENDED-RELEASE TABLETS	ITIES/Organic Impurities	<i>Revision Bulletin (Official April 01, 2018)</i>	Online	30-Nov-2018		1-Dec-2018	USP43–NF38	USP42–NF37	This erratum applies to the Revision Bulletin posted on www.uspnf.com only. In the variable definition list in <i>Analysis</i> : Change C_U = nominal concentration of the <i>Sample solution</i> (mg/mL) to: C_U = nominal concentration of the <i>Sample solution</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									(mg/mL) [Note—Disregard any peak less than 0.1%.] In the variable definition list in <i>Analysis</i> : Change C_s = concentration of oxybutynin chloride in the <i>Standard solution</i> (mg/mL) to: C_s = concentration of USP Oxybutynin Chloride RS in the <i>Standard solution</i> (mg/mL)
OXYBUTYNIN CHLORIDE EXTENDED-RELEASE TABLETS	PERFORMANCE TESTS/ Dissolution <711>/Test 8	<i>Revision Bulletin (Official April 01, 2018)</i>	Online	30-Nov-2018		1-Dec-2018	USP43–NF38	USP42–NF37	
LIDOCAINE	ASSAY/ Procedure	<i>First Supplement to USP41–NF36</i>	Online	30-Nov-2018		1-Dec-2018	USP43–NF38	USP42–NF37	This erratum applies to the new USP-NF ONLINE platform only. Line 2 of <i>Standard</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OXYBUTYNIN ASSAY/ CHLORIDE EX Procedure TENDED- RELEASE TABLETS	<i>Revision Bulletin (Official April 01, 2018)</i>	Online	30-Nov-2018	1-Dec-2018	USP43–NF38	USP42–NF37	<i>solution:</i> Change 1 N sodium hydroxide, to: 1 N hydrochloric acid, AND Line 2 of <i>Sample solution:</i> Change 1 N sodium hydroxide, to: 1 N hydrochloric acid, This erratum applies to the Revision Bulletin posted on www.uspnf.com only. In System <i>suitability</i>: Add [Note—The relative retention times for oxybutynin and oxybutynin

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PANTOPRAZOLE SODIUM DEE LAYED-RELEASE TABLETS	PERFORMANCE TESTS/ <i>Dissolution Test 1</i>	USP41–NF36	3157	30-Nov-2018		1-Dec-2018	USP43–NF38	USP42–NF37	related compound A are about 1.0 and 1.6, respectively.] In the <i>Analysis</i> : Change Result = $(r_U/r_S) \times C_S \times (M_{r1}/M_{r2}) \times V \times (100/L)$ to: Result = $(r_U/r_S) \times C_S \times (M_{r1}/M_{r2}) \times V \times (100/L) \times D$ AND In the variable definition list in <i>Analysis</i> : Add D = dilution factor for the <i>Sample solution</i> , 2 This erratum applies to the new USP-NF ONLINE platform only. Line 1: Change <i>Infrared Absorption</i>
AMOXICILLIN	IDENTIFICATION N/A.	<i>First Supplement to USP41–NF36</i>	Online	26-Oct-2018		1-Nov-2018	USP43–NF38	<i>Second Supplement to USP41–NF36</i>	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
RITONAVIR CAPSULES	PERFORMANCE TESTS/ Dissolution <711>/Test 2	Revision Bulletin (Official April 01, 2018)	Online	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	<197> to: Infrared Absorption <197K> Row 1 of Column 3 of Table 1: Change Tolerances (Q) to: Tolerances AND Row 3 of Column 3 of Table 1: Change NLT 80% to: NLT 80% (Q)
ZOLMITRIPTAN TABLETS	IMPURITIES/Organic Impurities	Revision Bulletin (Official November 01, 2017)	Online	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	Line 2 of Analysis: Change Sample: Sample solution to: Samples: Standard solution and Sample solution
PURE STEAM	ADDITIONAL R	USP41–NF36	4348	26-Oct-2018		1-Nov-2018	USP43–NF38	Second	Delete

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	EQUIREMENT S							Supplement to USP41–NF36	• USP Reference Standards <11> USP 1,4-Benzo quinone RS Delete
STERILE PURIFIED WATER	ADDITIONAL R EQUIREMENT S	USP41–NF36	4348	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	• USP Reference Standards <11> USP 1,4-Benzo quinone RS Delete
PURIFIED WATER	ADDITIONAL R EQUIREMENT S	USP41–NF36	4347	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	• USP Reference Standards <11> USP 1,4-Benzo quinone RS Delete
STERILE WATER FOR IRRIGATION	ADDITIONAL R EQUIREMENT S	USP41–NF36	4347	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	• USP Reference Standards <11> USP 1,4-Benzo quinone RS Delete
STERILE WATER FOR INJECTION	ADDITIONAL R EQUIREMENT S	USP41–NF36	4346	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	• USP Reference Standards <11> USP 1,4-Benzo quinone RS Delete
STERILE WATER FOR	ADDITIONAL R EQUIREMENT	USP41–NF36	4346	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to	• USP

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
INHALATION	S							USP41–NF36	Reference Standards <11>
WATER FOR H EMODIALYSIS	ADDITIONAL R EQUIREMENT S	USP41–NF36	4345	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	Delete • USP Reference Standards <11> USP 1,4-Benzo quinone RS
WATER FOR INJECTION	ADDITIONAL R EQUIREMENT S	USP41–NF36	4345	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	Delete • USP Reference Standards <11> USP 1,4-Benzo quinone RS
VINORELBINE INJECTION	ASSAY/ Proce dure/System suitabil ity/Suitability requirements	USP41–NF36	4326	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	Line 1 of Relative standard deviation: Change NLT 2.0%, Standard solution to: NMT 2.0%, Standard solution
RIZATRIPTAN BENZOATE	ADDITIONAL R EQUIREMENT S/USP	USP41–NF36	3662	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	Line 6 of USP Rizatriptan Benzoate

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									System Suitability Mixture RS: Change 269.34) to: 269.35)
NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE ACETATE OPHTHALMIC SUSPENSION	Assay for hydrocortisone acetate	USP41–NF36	2904	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	Line 1: Change Proceed with Ophthalmic Suspension as directed in the Assay under Hydrocortisone Acetate Injectable Suspension. to: Standard preparation—Prepare as directed for Assay for Steroids <351>, Standard Preparation, using USP Hydrocortisone Acetate RS. Assay prep

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<i>aration</i> —Transfer to a separator an accurately measured volume of Ophthalmic Suspension, equivalent to about 50 mg of hydrocortisone acetate, and dilute with water to about 15 mL. Extract with four 25-mL portions of chloroform, filtering each portion through chloroform-washed cotton into a 250-mL volumetric flask. Add chloroform to volume, and mix. Pipet 10 mL of this solution into a 100-mL volumetric flask, add chloroform

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							to volume, and mix. Pipet 10 mL of the resulting solution into a glass-stoppered, 50-mL conical flask, evaporate the chloroform on a steam bath just to dryness, cool, and dissolve the residue in 20.0 mL of alcohol. <i>Procedure</i>—Proceed as directed for <i>Assay for Steroids <351></i>, <i>Procedure</i>. Calculate the quantity, in mg, of hydrocortisone acetate (C₂₃H₃₂O₆) in each mL of Ophthalmic Suspension taken by the

Monograph Title Section		Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LEVODOPA	IM PUR ITIES/ <i>Organic Impurities</i>	USP41–NF36	2392	26-Oct-2018	1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	formula: $5(C/V)(A_U/A_S)$ in which V is the volume, in mL, of Ophthalmic Suspension taken; and the other terms are defined therein. Footnote a of Table 1: Change 3-(3,4,6-Trihydr oxyphenyl)alani ne. to: 3-(3,4,6-Trihydr oxyphenyl)alani ne; also known as 3-(2,4,5-Trih ydroxyphenyl)-L-alanine. In the equation in <i>Analysis</i>: Change Result = $(r_U/r_S) \times (1/F) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times (1/F) \times 100$
GUAIFENESIN	IM PUR ITIES/ <i>Organic Impurities</i>	USP41–NF36	2001	26-Oct-2018	1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									AND Add to the variable list: C_S = concentration of guaifenesin in the <i>Diluted sample solution</i> C_U = concentration of guaifenesin in the <i>Sample solution</i> Line 2 of USP Ethinyl Estradiol Related Compound B RS: Change 19-Nor-17?-pregna-1,3,5(10),9(11)-tetraen-20-yne-3,17-diol. $C_{20}H_{22}O_2$ 294.39 to: 19-Nor-17?-pregna-1,3,5(10),9(11)-tetraen-20-yne-3,17-diol monohydrate. C
DROSPIRENO NE AND ETHINYL ESTRADIOL TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP41–NF36	1447	26-Oct-2018		1-Nov-2018	USP43–NF38	Second Supplement to USP41–NF36	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NAPROXEN TABLETS	IMPURITIES/Organic Impurities	USP41–NF36	2865	28-Sep-2018	1-Oct-2018	USP43–NF38	Second Supplement to USP41–NF36	$^{20}\text{H}_{22}\text{O}_2 \cdot \text{H}_2\text{O}$ 312.40 Line 3 of System suitability solution: Change 0.5 mg/mL of USP Naproxen RS and 0.5 µg/mL of USP Naproxen Related Compound A RS in <i>Diluent</i> , from <i>Standard stock solution 1</i> and <i>Standard stock solution 2</i> , respectively to: 0.5 µg/mL of USP Naproxen Related Compound A RS from <i>Standard stock solution 2</i> and 0.5 mg/mL of USP Naproxen RS in <i>Diluent</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CYCLOPHOSP ASSAY/ HAMIDE <i>Procedure</i>	USP41–NF36	1123	28-Sep-2018	1-Oct-2018	USP43–NF38	<i>Second Supplement to USP41–NF36</i>	In the variable definition in <i>Analysis</i> : Change C_S = concentration of USP Cyclophosphamide RS in the <i>Standard solution</i> (mg/mL). [Note—Concentration is calculated on the anhydrous basis.] C_U = concentration of Cyclophosphamide in the <i>Sample solution</i> (mg/mL). [Note—Nominal concentration is calculated on the anhydrous basis.] to: C_S = concentration of USP Cyclophosphamide RS in

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LORAZEPAM TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP41–NF36	2474	28-Sep-2018		1-Oct-2018	USP43–NF38	Second Supplement to USP41–NF36	the <i>Standard solution</i> (mg/mL) C_U = concentration of Cyclophosphamide in the <i>Sample solution</i> (mg/mL) Line 3 of USP Lorazepam Related Compound B RS: Change 266.13 to: 266.12 AND Line 4 of USP Lorazepam Related Compound C RS: Change 303.15 to: 303.14 AND Line 4 of USP Lorazepam Related Compound D

Monograph Title Section		Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
LOXAPINE SUCCINATE	IM PURITIES/ <i>Organic Impurities/Procedure</i>	USP41–NF36	2486	28-Sep-2018	1-Oct-2018	USP43–NF38	Second Supplement to USP41–NF36	RS: Change 319.15 to: 319.14
								In the variable definition list in <i>Analysis</i> : Add F = relative response factor (see <i>Impurity Table 1</i>)
MEPIVACAINE HYDROCHLORIDE	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP41–NF36	2580	28-Sep-2018	1-Oct-2018	USP43–NF38	Second Supplement to USP41–NF36	Line 2 of Bupivacaine Related Compound B: Change N -(2,6-Dimethylphenyl)piperidine-2-carboxamide. C ₁₄ H ₂₀ N ₂ O 232.32 to: N -(2,6-Dimethylphenyl)piperidine-2-carboxamide hydrochloride. C ₁₄ H ₂₀ N ₂ O · HCl 268.79
METHADONE	ASSAY/	USP41–NF36	2628	28-Sep-2018	1-Oct-2018	USP43–NF38	Second	In the <i>Analysis</i> :

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
HYDROCHLORIDE INJECTION						<i>Supplement to USP41–NF36</i>	Change Result = $(R_U/R_S) \times W \times 100$ to: Result = $(R_U/R_S) \times W$
PIOGLITAZONE AND GLIMEPIRIDE TABLETS	IM PURITIES/ <i>Organic Impurities: Glimepiride</i>	<i>USP41–NF36</i> 3314	28-Sep-2018	1-Oct-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	Change <i>Table 3</i> to: <i>Table 4</i> AND Change <i>Table 4</i> to: <i>Table 5</i> AND Line 1 of <i>Mobile phase</i> : Change <i>Table 3</i> to: <i>Table 4</i> AND In the variable definition list in <i>Analysis</i> : Change <i>F</i> = relative response factor for each impurity (see

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
									<i>Table 4)</i> to: <i>F</i> = relative response factor for each impurity (see <i>Table 5</i>) AND Line 1 of <i>Acceptance criteria</i>: Change <i>Table 4</i> to: <i>Table 5</i>
INSULIN ASSAYS	ADDITIONAL REQUIREMENTS/USP Reference Standards <11>	USP41–NF36	6054	28-Sep-2018		1-Oct-2018	USP43–NF38	Second Supplement to USP41–NF36	This erratum applies to the new USP-NF ONLINE platform only. Delete USP Insulin RS
TEST FOR 1,6-ANHYDRO DERIVATIVE FOR ENOXAPARIN SODIUM	PROCEDURES /Procedure	USP41–NF36	6108	28-Sep-2018		1-Oct-2018	USP43–NF38	Second Supplement to USP41–NF36	Line 2 of <i>Reduction suitability test</i>: Change 0.02%. to: 0.02.
NIFEDIPINE EXTENDED-RELEASE	PERFORMANCE TESTS/	First Supplement to USP41–NF36	8369	28-Sep-2018		1-Oct-2018	USP43–NF38	Second Supplement to USP41–NF36	Line 1 of <i>Standard stock solution</i>:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS	<i>Dissolution</i> <711>/Test 5								Change 50 mg of USP Nifedipine RS in <i>Diluent A</i> and water (50:50) to: 0.50 mg/mL of USP Nifedipine RS prepared as follows. Transfer a suitable amount of USP Nifedipine RS to an appropriate volumetric flask. Dissolve in 50% of the flask volume of <i>Diluent A</i>. Dilute with water to volume. AND Line 1 of <i>Instrumental conditions</i>/Analytical wavelength: Change 238 nm to:

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
VITAMIN D ASSAY	ASSAY/ Procedure 8	<i>First Supplement to USP41–NF36</i>	Online	28-Sep-2018		1-Oct-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	338 nm Line 1 of <i>Aqueous potassium hydroxide solution:</i> Change 800 mg to: 800 g
BUMETANIDE TABLETS	IM PUR ITIES/ <i>Organic Impurities/Chromatographic system</i>	<i>First Supplement to USP41–NF36</i>	Online	28-Sep-2018		1-Oct-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	Line 1 of <i>Developing solvent system:</i> Change Methanol, cyclohexane, methanol, glacial acetic acid, and chloroform (2.5: 10: 10: 80) to: Methanol, cyclohexane, glacial acetic acid, and chloroform (2.5: 10: 10: 80)
ISOLEUCINE	IM PUR ITIES/ <i>Related</i>	<i>First Supplement to USP41–NF36</i>	Online	28-Sep-2018		1-Oct-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	This erratum applies to the new USP-NF

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
<i>Compounds</i>									ONLINE platform only. Line 1 of <i>Standard solution</i> : Change USP L-Leucine RS to: USP L-Isoleucine RS
TRIAMTERENE	ADDITIONAL REQUIREMENTS	<i>First Supplement to USP41–NF36</i>	Online	28-Sep-2018		1-Oct-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	This erratum applies to the new USP-NF ONLINE platform only. Line 4 of <i>USP Reference Standards</i> <11>: Change USP Doxazosin Related Compound A RS to: USP Triamterene Related Compound A RS
TRANEXAMIC	SPECIFIC	<i>First</i>	Online	28-Sep-2018		1-Oct-2018	<i>USP43–NF38</i>	<i>Second</i>	This erratum

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACID INJECTION	TESTS	<i>Supplement to USP41–NF36</i>						<i>Supplement to USP41–NF36</i>	applies to the new USP-NF ONLINE platform only. Change <i>Dissolution</i> <711>: Meets the requirements to: <i>Sterility Tests</i> <71>: Meets the requirements
GLYCERYL TRIASSAY/CAPRYLATE	<i>Content of Triglycerides</i>	<i>First Supplement to USP41–NF36</i>	Online	28-Sep-2018		1-Oct-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	This erratum applies to the new USP-NF ONLINE platform only. Line 1 of <i>System suitability solution</i> : Change 20 mUSP Glycerol Monocaprylate RSUSP Glycerol Monocaprylate RSg/mL each of 1-monooctanoyl-

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
DORZOLAMIDE HYDROCHLORIDE AND TIMOLOL MALEATE OPHTHALMIC SOLUTION	IMPURITIES/Organic	<i>First Supplement to USP41–NF36</i>	Online	28-Sep-2018		1-Oct-2018	<i>USP43–NF38</i>	<i>Second Supplement to USP41–NF36</i>	rac-glycerol and 1-monodecanoyl-rac-glycerol in tetrahydrofuran to: 20 mg/mL each of 1-monooctanoyl-rac-glycerol and 1-monodecanoyl-rac-glycerol in tetrahydrofuran This erratum applies to the new USP-NF ONLINE platform only. In the first variable definition list in <i>Analysis</i>: Change C_S = concentration of USP Doxazosin Related Compound D RS in the <i>Standard solution</i> (mg/mL)

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							to: C_S = concentration of USP Dorzolamide Related Compound D RS in the <i>Standard solution</i> (mg/mL) AND In the second variable definition list in <i>Analysis</i>: Change C_S = concentration of USP Doxazosin Related Compound B RS in the <i>Standard solution</i> (mg/mL) to: C_S = concentration of USP Dorzolamide

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ORDINARY IMPURITIES	KEY FOR VISUALIZATION TECHNIQUES	USP41–NF36	Online	28-Sep-2018		1-Oct-2018	USP43–NF38	Second Supplement to USP41–NF36	Related Compound B RS in the <i>Standard solution</i> (mg/mL) This erratum applies to the new USP-NF ONLINE platform only. Change 3. <i>Solution A</i>–Mix 850 mg of bismuth subnitrate with 40 mL of water and 10 mL of glacial acetic acid. 4. <i>Solution B</i>–Dissolve 8 g of potassium iodide in 20 mL of water. Mix A and B together to obtain a Stock Solution which can be stored for several months

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							in a dark bottle. Mix 10 mL of the Stock Solution with 20 mL of glacial acetic acid, and dilute with water to make 100 mL, to prepare the spray reagent. to: 3. <i>Solution A</i>—Mix 850 mg of bismuth subnitrate with 40 mL of water and 10 mL of glacial acetic acid. <i>Solution B</i>—Dissolve 8 g of potassium iodide in 20 mL of water. Mix A and B together to obtain a Stock Solution which can be stored for several months

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							in a dark bottle. Mix 10 mL of the Stock Solution with 20 mL of glacial acetic acid, and dilute with water to make 100 mL, to prepare the spray reagent. AND Update list numbers 5–23 to: 4–22

Pagination

- [First page](#) « [First](#)
- [Previous page](#) < [Previous](#)
- ...
- [Page 14](#)
- [Page 15](#)
- [Page 16](#)
- [Page 17](#)
- [Page 18](#)
- [Page 19](#)
- [Page 20](#)
- [Page 21](#)

-
- [Page 22](#)
 - ...
 - [Next page Next ›](#)
 - [Last page Last »](#)