

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
GLUTARAL CO ASSAY/	USP40–NF35	4414	17-Nov-2017	1-Dec-2017	USP42–NF37	Second	Line 7 of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NCENTRATE <i>Procedure</i>						<i>Supplement to USP41–NF36</i>	<i>Analysis: Change Add a weighed quantity of Concentrate containing 1.2 g of glutaral by means of a suitable weighing pipet. to: Add 1.2 g of Glutaral Concentrate.</i>
MYCOPHENOL IM IC ACID DELAYPUR ED-RELEASE ITIES/ <i>Organic</i> TABLETS <i>Impurities</i>	<i>USP40–NF35</i>	5257	17-Nov-2017	1-Dec-2017	<i>USP42–NF37</i>	<i>Second Supplement to USP41–NF36</i>	<i>Change Mobile phase, Standard solution, Sample solution, and Chromatographic system: to: Mobile phase, Diluent, Standard solution, Sample solution, and Chromatographic system:</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ISOSORBIDE Assay DINITRATE EX TENDED- RELEASE TABLETS	USP40–NF35	4710	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Change Buffer solution, Mobile phase, Internal standard solution, Standard preparation, and Chromatographic system—Prepare as directed in the Assay under Diluted Isosorbide Dinitrate. to: Buffer solution —Dissolve 15.4 g of ammonium acetate in water, add 11.5 mL of glacial acetic acid, dilute with water to 1000 mL, and mix to obtain a solution having a pH of about

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>4.7. <i>Mobile phase</i>—Mix 350 mL of water, 100 mL of <i>Buffer solution</i>, and 550 mL of methanol. Cool to room temperature, dilute with water to 1000 mL, mix, degas, and filter. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>). <i>Internal standard solution</i> —Transfer a quantity of diluted nitroglycerin to a suitable volumetric flask, add about 60% of the flask</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>volume of methanol, sonicate for 5 minutes, and shake for 30 minutes. Dilute with methanol to volume to obtain a solution having a concentration of about 3 mg of nitroglycerin per mL, and mix. Allow any undissolved material to settle, filter, and store the filtrate in an airtight container.</p> <p><i>Standard preparation</i></p> <p>—Transfer about 125 mg of recently mixed USP Diluted Isosorbide Dinitrate RS, accurately</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							weighed, to a 50-mL volumetric flask, add about 30 mL of <i>Mobile phase</i> , shake for 30 minutes, dilute with <i>Mobile phase</i> to volume, and mix. Pipet 10 mL of the resulting solution into a 25-mL volumetric flask, and add 4.0 mL of <i>Internal standard solution</i> and 4 mL of dilute <i>Buffer solution</i> (1 in 10). Cool to room temperature, dilute with <i>Mobile phase</i> to volume, and mix to obtain a solution having a known

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>concentration of about 0.25 mg of isosorbide dinitrate per mL, based on the quantity of USP Diluted Isosorbide Dinitrate RS weighed and the labeled content of isosorbide dinitrate. Pass a portion of this solution through a 0.45-µm filter. AND Change <i>Proce</i> <i>dure</i>—Proceed as directed for <i>Procedure</i> in the Assay under <i>Diluted Isosorbide Dinitrate</i>. to: <i>Chromatographi</i> <i>c system</i> (see <i>Chromatograph</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>y <621>—The liquid chromatograph is equipped with a 220-nm detector and a 4-mm × 25-cm column that contains packing L1. The flow rate is about 1 mL per minute.</p> <p>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the resolution, <i>R</i>, between isosorbide dinitrate and nitroglycerin is not less than 2.0; and the relative standard deviation for replicate</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>injections determined from the peak response ratios is not more than 2%.</p> <p>[NOTE—The relative retention times are about 0.75 for isosorbide dinitrate and 1.0 for nitroglycerin. The relative retention times for isosorbide mononitrates, if present, are about 0.38.]</p> <p><i>Procedure</i></p> <p>—Separately inject equal volumes (about 20 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph,</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MYCOPHENOL ADDITIONAL REQUIREMENT FOR ORAL SUSPENSION S/USP Reference Standards <11>	USP40–NF35	5251	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	record the chromatograms, and measure the responses for the major peaks. Line 2 of USP Mycophenolate Mofetil Related Compound B RS: Change (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. to: (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. Add
POWDERED A COMPOSITION	USP40–NF35	6804	29-Sep-2017	1-Oct-2017	USP42–NF37	First	Add

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SHWAGANDH A ROOT EXTRACT	<i>/Content of Withanolides</i>							<i>Supplement to USP41–NF36</i>	<i>Solution B: Acetonitrile, filtered and degassed</i>
EFAVIRENZ	SPECIFIC TESTS/ <i>Enantiomeric Purity</i>	<i>Second Supplement to USP40–NF35</i>	Online	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>Mobile phase</i> : Change Hexane and ethanol (97:3) to: Hexane and absolute alcohol (97:3)
REAGENTS, INDICATORS AND SOLUTIONS	S OLUTION <i>S/Volumetric Solutions/1 N Sulfuric Acid VS</i>	<i>USP40–NF35</i>	2434	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 3 of <i>Standardization</i> : Change dried at 150° to: dried at 105°
GADOTERIDOL	<i>Chromatographic purity/Test 2 (Nongadolinium-Containing Impurities)</i>	<i>USP40–NF35</i>	4360	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 1 of <i>pH 5.0 Buffer</i> . Change 50 mM Ammonium to: 50 mM Ammonium phosphate buffer AND Line 1 of <i>pH 7.0 Buffer</i> . Change 50 mM

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MEMANTINE H PERFORMANC YDROCHLORI E DE TABLETS TESTS/ <i>Dissolution</i> <711>/ <i>Analysis</i>	USP40–NF35	5000	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Ammonium to: 50 mM Ammonium phosphate buffer In the variable definition list: Change $C_S =$ concentration of USP Memantine Hydrochloride RS in the <i>Standard</i> <i>solution</i> ($\mu\text{g/mL}$) to: $C_S =$ concentration of USP Memantine Hydrochloride RS in the <i>Standard stock</i> <i>solution</i> (mg/mL)
PEMETREXED IM DISODIUM PUR ITIES/ <i>Organic</i> <i>Impurities/ Table</i>	USP40–NF35	5588	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Footnote b: Change {4-[2-(2-Amino- 1-methyl-4-oxo-

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	2								4, 7-di hydro-1 <i>H</i> -pyr rolo[2,3 - <i>d</i>]pyrimidin-5-yl)ethyl]benzoyl}-4-L-glutamyl-L-glutamic acid. to: {4?[2?(2?Amino ?4?oxo?4,7?dihydro?1 <i>H</i> ?p yrrolo [2,3? <i>d</i>]pyrimidin?5?yl)ethyl]benzoyl}?4 ?L?glutamyl?L?glutamic acid. Line 4:Change 5-Methoxy-4'-(trifluoromethyl)valerophenone (<i>E</i>)- <i>O</i> -(2-aminoethyl)oxime, maleate (1:1) to: (<i>E</i>
FLUVOXAMINE MALEATE	CHEMICAL INFORMATION	<i>Second Supplement to USP40–NF35</i>	8797	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ENOXAPARIN SODIUM INJECTION	SPECIFIC TESTS/ <i>Anti-Factor IIa Activity</i>	USP40–NF35	3982	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36)-5-Methoxy-4'-(trifluoromethyl) valerophenone O-(2-aminoethyl) oxime, maleate (1:1) Delete Standard solutions: Dilute USP Enoxaparin Sodium Solution for Bioassays RS with pH 7.4 buffer to obtain four dilutions having concentrations in the range between 0.015 and 0.075 IU of Anti-Factor IIa activity/mL.
ISOSORBIDE DINITRATE EXTENDED-RELEASE TABLETS	<i>Dissolution <711>/Test 2</i>	USP40–NF35	4710	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1: Change Buffer solution and Mobile phase—Prepare as directed in the Assay under

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Diluted Isosorbide Dinitrate.</i></p> <p>to:</p> <p><i>Buffer solution and Mobile phase—Prepare as directed in the Assay.</i></p> <p>AND</p> <p>Line 1 of <i>Chromatographic system:</i></p> <p>Change (see <i>Chromatography <621></i>)—Proceed as directed in the Assay under <i>Diluted Isosorbide Dinitrate.</i></p> <p>to:</p> <p>(see <i>Chromatography <621></i>)—Proceed as directed in the</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MYCOPHENOL ADDITIONAL REQUIREMENTS/USP Reference Standards <11>		USP40–NF35	5256	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Assay. Line 2 of USP Mycophenolate Mofetil Related Compound B RS: Change (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. to: (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one.
MONOBASIC POTASSIUM PHOSPHATE	IMPURITIES/Arsenic, Method I <211>	USP40–NF35	7847	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1: Change 3 µg/g to: NMT 3 µg/g
POTASSIUM CITRATE EXTENDED RELEASE	ASSAY/Procedure	Revision Bulletin (Official	Online	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to	Line 1 of Chromatographi

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NDED- RELEASE TABLETS	April 01, 2017)					USP41–NF36	<p><i>c</i> system/Column: Change 10-μm to: 5-μm AND In the variable definition list in <i>Analysis</i>: Change r_U = citrate peak area from the <i>Sample solution</i> r_S = citrate peak area from the <i>Standard solution</i> to: r_U = citric acid peak area from the <i>Sample solution</i> r_S = citric acid peak area from the <i>Standard solution</i> AND Change M_{r2} = molecular weight of citrate</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
CALCIPOTRIE IM NE OINTMENT PUR ITIES/ <i>Organic Impurities</i>	USP40–NF35	3114	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	(C ₆ H ₅ O ₇), 189.10 to: <i>M</i> _{r2} = molecular weight of citric acid (C ₆ H ₈ O ₇), 192.13 Footnote a of Table 1: Change (5 <i>Z</i> ,7 <i>Z</i> ,22 <i>E</i> ,24 <i>R</i>)-24-Cyclopropyl-9,10-secochol a-5,7,10(19),22-tetraene-1?,3?,24-triol. to: (5 <i>Z</i> ,7 <i>Z</i> ,22 <i>E</i> ,24 <i>S</i>)-24-Cyclopropyl-9,10-secochol a-5,7,10(19),22-tetraene-1?,3?,24-triol.
ISOSORBIDE Assay DINITRATE EX TENDED- RELEASE CAPSULES	USP40–NF35	4708	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Change Buffer solution, Mobile phase, Internal standard solution,

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Standard preparation, and Chromatographic system</i>—Prepare as directed in the Assay under <i>Diluted Isosorbide Dinitrate</i>.</p> <p>to:</p> <p><i>Buffer solution</i> —Dissolve 15.4 g of ammonium acetate in water, add 11.5 mL of glacial acetic acid, dilute with water to 1000 mL, and mix to obtain a solution having a pH of about 4.7.</p> <p><i>Mobile phase</i>—Mix 350 mL of water, 100 mL of <i>Buffer solution</i>,</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>and 550 mL of methanol. Cool to room temperature, dilute with water to 1000 mL, mix, degas, and filter. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>). <i>Internal standard solution</i> —Transfer a quantity of diluted nitroglycerin to a suitable volumetric flask, add about 60% of the flask volume of methanol, sonicate for 5 minutes, and shake for 30</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>minutes. Dilute with methanol to volume to obtain a solution having a concentration of about 3 mg of nitroglycerin per mL, and mix. Allow any undissolved material to settle, filter, and store the filtrate in an airtight container.</p> <p><i>Standard preparation</i></p> <p>—Transfer about 125 mg of recently mixed USP Diluted Isosorbide Dinitrate RS, accurately weighed, to a 50-mL volumetric flask, add about 30 mL of <i>Mobile</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>phase</i>, shake for 30 minutes, dilute with <i>Mobile phase</i> to volume, and mix. Pipet 10 mL of the resulting solution into a 25-mL volumetric flask, and add 4.0 mL of <i>Internal standard solution</i> and 4 mL of dilute <i>Buffer solution</i> (1 in 10). Cool to room temperature, dilute with <i>Mobile phase</i> to volume, and mix to obtain a solution having a known concentration of about 0.25 mg of isosorbide dinitrate per mL, based on the</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>quantity of USP Diluted Isosorbide Dinitrate RS weighed and the labeled content of isosorbide dinitrate. Pass a portion of this solution through a 0.45-μm filter. AND Change <i>Procedure</i>—Proceed as directed for <i>Procedure</i> in the Assay under <i>Diluted Isosorbide Dinitrate</i>. to: <i>Chromatographic system</i> (see <i>Chromatography <621></i>)—The liquid chromatograph is equipped with a 220-nm</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>detector and a 4-mm x 25-cm column that contains packing L1. The flow rate is about 1 mL per minute.</p> <p>Chromatograph the <i>Standard preparation</i>, and record the peak responses as directed for <i>Procedure</i>: the resolution, <i>R</i>, between isosorbide dinitrate and nitroglycerin is not less than 2.0; and the relative standard deviation for replicate injections determined from the peak response ratios is not more than</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>2%.</p> <p>[NOTE—The relative retention times are about 0.75 for isosorbide dinitrate and 1.0 for nitroglycerin. The relative retention times for isosorbide mononitrates, if present, are about 0.38.]</p> <p><i>Procedure</i></p> <p>—Separately inject equal volumes (about 20 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MYCOPHENOL ADDITIONAL REQUIREMENT FOR INJECTION	USP40–NF35 S/USP Reference Standards <11>	5250	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	peaks. Line 2 of USP Mycophenolate Mofetil Related Compound B RS: Change (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one. to: (RS)-7-Hydroxy-5-methoxy-4-methyl-6-[2-(5-methyl-2-oxo-tetrahydrofuran-5-yl)ethyl]-3H-isobenzofuran-1-one.
PEMETREXED ASSAY/ PROCEDURE/ ANALYSIS FOR INJECTION	USP40–NF35	5590	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	In the variable definition list: Change M_{r2} = molecular weight of pemetrexed

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
FLUVOXAMINE IM MALEATE	PUR	<i>Second Supplement to USP40–NF35 Organic Impurities/ Table 1</i>	8797	29-Sep-2017		1-Oct-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	disodium, 597.49 to: M_r = molecular weight of pemetrexed disodium (anhydrous), 473.37 Footnote b:Change 5-Methoxy-1-[4- (trifluoromethyl) phenyl]-1-penta none (<i>E</i>)- <i>O</i> -[2-[(2-succinyl) amino]ethyl]oxi me. to: (<i>E</i>)-5-Methoxy-1-[4-(trifluorometh yl)phenyl]-1-pen tanone <i>O</i> -[2-[(2-succinyl) amino]ethyl]oxi me. AND Footnotes c– g: Delete the

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
REAGENTS	REAGENT SPE	USP40–NF35	2339	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	space before oxime Line 1 of <i>Buffer solution</i> : Change Add 150 mg of sodium chloride to: Add 150 g of sodium chloride
	<i>Bromelain/Activity Determination</i>								Line 2 of USP
FENOLDOPAM MESYLATE	USP Reference standards <11>	USP40–NF35	4159	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	Line 2 of USP Fenoldopam Related Compound A RS: Change 1-Methyl-3-benzazepine-7,8-diol, 6-chloro-2,3,4,5-tetrahydro-1-(4-hydroxyphenyl)-, methanesulfonate (salt). $C_{17}H_{18}ClNO_3 \cdot CH_4SO_3$ 415.89 to: 6-Chloro-1-(4-hydroxyphenyl)-3-methyl-2,3,4,5-tetrahydro-1H

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MEBENDAZOL E	IM PUR ITIES/ <i>Organic Impurities/ Table 2</i>	USP40–NF35	4968	29-Sep-2017		1-Oct-2017	USP42–NF37	<i>First Supplement to USP41–NF36</i>	-benzo[<i>d</i>]]azepine-7,8-dio l hydrochloride (<i>N</i> -Methyl-6-chloro -2,3,4,5-tetrahy dro-1-(4-hydrox yphe nyl)-1 <i>H</i> -3-benzazepine- 7,8-diol hydrochloride). C ₁₇ H ₁₉ ClNO ₃ · HCl 356.24 Change footnotes ^d Ethyl 5-benzoyl -1-methylbenzi midazol-2-ylcar bamate. ^e Methyl 5-(4-tol uoyl)-1-methylb enzimidazol-2-yl carbamate. to: ^d Ethyl (5- benzo yl-1 <i>H</i> -benzimidazol-2 -yl)carbamate.

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MYCOPHENOLIM ATE SODIUM PUR ITIES/ <i>Organic Impurities</i>	USP40–NF35	5256	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	°Methyl 5- (4-t oluoyl)- 1H -benzimidazol-2- -ylcarbamate. Footnote a of Table 2: Change (RS)-7-Hydroxy-5- methoxy-4-meth yl-6-[2-(5-methy l-2-oxo-tetrahyd rofur-5-yl)eth yl]-3H -isobenzofurany l-1-one. to: (RS)-7-Hydroxy-5- methoxy-4-meth yl-6-[2-(5-methy l-2-oxo-tetrahyd rofur-5-yl)eth yl]-3H -isobenzofuran- 1-one. Line 2 of USP Candesartan
CANDESARTA ADDITIONAL R N CILEXETIL EQUIREMENT	Second Supplement to	8730	29-Sep-2017	1-Oct-2017	USP42–NF37	First Supplement to	Line 2 of USP Candesartan

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
TABLETS	<i>S/USP Reference Standards <11></i>	<i>USP40–NF35</i>						<i>USP41–NF36</i>	<p>Cilexetil Related Compound D RS: Change 1-[[{(Cyclohexyloxy)carbonyloxy}carbonyl]oxy]ethyl</p> <p><i>H</i> -tetrazol-5-yl)biphenyl-4-yl]methyl}-2-oxo-2,3-dihydro-1<i>H</i>-benzimidazole-4-carboxylate. to: 1-[[{(Cyclohexyloxy)carbonyl]oxy}ethyl</p> <p><i>H</i> -tetrazol-5-yl)-[1,1'-biphenyl]-4-yl]methyl)-2-oxo-2,3-dihydro-1<i>H</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ENALAPRIL MALEATE TABLETS	PERFORMANCE TESTS/ <i>Dissolution</i> <711>/Table 1	USP40–NF35	3971	29-Sep-2017		1-Oct-2017	USP42–NF37	First Supplement to USP41–NF36	-benzimidazole-4-carboxylate. Row 3 of Column 3: Change 100 to: 200
ONDANSETRON INJECTION	USP Reference standards <11>	USP40–NF35	5443	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 2 of USP Ondansetron Related Compound A RS: Change 3[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one hydrochloride.
ROCURONIUM BROMIDE	IMPURITIES/Limit of	USP40–NF35	6066	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of the variable definition list:

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
2-Pr opropanol/Analysis							Change r_U = peak response of any impurity from the <i>Sample solution</i> r_S = peak response of rocuronium bromide from the <i>Dilute standard solution</i> to: r_U = peak response of 2-propanol from the <i>Sample solution</i> r_S = peak response of 2-propanol from the <i>Dilute standard solution</i>
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS CAPSULES	USP40–NF35	7290	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of Vitamin A, Method 1/ <i>Sample solution</i> : Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Sample solution</i>: Change Dilute a volume of this solution to: <i>Sample solution</i>: Dilute a volume of the <i>Sample stock solution</i> AND Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution</i>: Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
MONOSACCH PROCEDURES	<i>First</i>	8059	28-Jul-2017	1-Aug-2017	<i>USP42–NF37</i>	<i>First</i>	<p><i>Sample stock solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione/Sample solution:</i>Change in the directions for the <i>Sample solution</i> to: in the directions for the <i>Sample stock solution</i> Line 6 of</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ARIDE ANALYSIS	<i>/Procedure 3: Enzymatic Hydrolysis and Analysis by RP-HPLC of DMB-labeled Sialic Acids</i>	<i>Supplement to USP40–NF35</i>						<i>Supplement to USP41–NF36</i>	<i>Analysis: Change (1 M = 1nmol/mL). to: (1 µM = 1nmol/mL).</i>
LEVOTHYROXINE SODIUM TABLETS	<i>First PURITIES/Limit of Liothyronine Sodium</i>	<i>Supplement to USP40–NF35</i>	8328	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<i>Line 4 of Analysis: Change Calculate the percentage of levothyroxine sodium (C₁₅H₁₁I₃ NNaO₄) to: Calculate the percentage of liothyronine sodium (C₁₅H₁₁I₃ NNaO₄)</i>
DOXAZOSIN MESYLATE	<i>ASSAY/ Procedure/System suitability/Suitability requirements</i>	<i>USP40–NF35</i>	3874	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<i>Line 1 of Resolution: Change NLT 4 to: NLT 2</i>
PERPHENAZINE	<i>IMPUR</i>	<i>USP40–NF35</i>	5649	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to</i>	<i>Line 1 of Column:</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
	ITIES/ <i>Organic Impurities/Chromatographic system</i>						USP41–NF36	Change 4.6-mm to: 4.0-mm
OIL-SOLUBLE VITAMINS WITH MINERALS CAPSULES	STRENGTH	USP40–NF35	7265	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of <i>Vitamin A/Sample solution</i> : Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 21 of <i>Sample solution</i> : Change Further dilute this solution to: <i>Sample solution</i> : Dilute the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin D/Sample solution</i> :

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change as directed for the <i>Sample solution</i> to:</p> <p>as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Vitamin E/Sample solution</i>:</p> <p>Change prepared as directed for the <i>Sample solution</i> to:</p> <p>prepared as directed for the <i>Sample stock solution</i></p> <p>AND</p> <p>Line 2 of <i>Phytonadione (Vitamin K₁)</i>:Change as directed for the <i>Sample solution</i> to:</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WAT STRENGTH ER-SOLUBLE VITAMINS WITH MINERALS TABLETS	USP40–NF35	7375	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Beta Carotene/Sample solution</i> : Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> Line 1 of <i>Vitamin A, Method 1/Sample solution</i> : Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of <i>Sample solution</i> : Change

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Dilute a 10-mL volume of this solution to:</p> <p><i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND</p> <p>Line 2 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND</p> <p>Line 2 of <i>Vitamin E, Method 1/Sample</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ACETAMINOPHEN AND CODEINE PHOSPHATE TABLETS	PERFORMANCE TESTS	<i>First Supplement to USP40–NF35</i>	8202	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<p><i>solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method 1/Sample solution:</i> Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> Line 1 of <i>Dissolution <711>/Analysis:</i> Change Determine the</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>labeled amount of acetaminophen to:</p> <p>Determine the percentage of the labeled amount of acetaminophen AND</p> <p>In the second Calculate statement in <i>Uniformity of Dosage Units</i> <905>/<i>Procedure for content unifor mity/Analysis:</i> Change Calculate the quantity, in mg/mL, of the labeled amount of codeine phosphate to:</p> <p>Calculate the quantity, in mg, of codeine</p>

<u>Monograph Title</u>	<u>Section</u>	<u>Source Publication</u>	<u>Page Number</u>	<u>Errata Post Date</u> <u>Sort ascending</u>	<u>Errata Official Date</u>	<u>Target Errata Print Publication</u>	<u>Target Online Fix Publication</u>	Description
TIMOLOL MALEATE	MULTIPLE SECTIONS	<i>Second Supplement to USP40–NF35</i>	Online	28-Jul-2017	1-Aug-2017	<i>USP41–NF36</i>	<i>USP41–NF36</i>	phosphate The version of the Timolol Maleate monograph which appeared in the <i>Second Supplement to USP 40–NF 35</i> did not include the revisions approved in the version appearing in the <i>First Supplement to USP 40–NF 35</i> . The version appearing in the <i>First Supplement</i> should be used. The file as it should have appeared in the <i>Second Supplement</i> is attached to the compendial notice found at http://www.uspn

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ONDANSETRO USP Reference N ORAL standards <11> SOLUTION	USP40–NF35	5444	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p>f.com/notices/se-cond-supplement-usp-40-nf-35-online-timolol-maleate.</p> <p>Line 2 of USP Ondansetron Related Compound A RS: Change 3[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one .</p> <p>to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one hydrochloride.</p>
OIL-SOLUBLE STRENGTH VITAMINS CAPSULES	USP40–NF35	7248	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	<p>Line 1 of Vitamin A, Method 1/Sample solution: Change</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 23 of <i>Sample solution</i>: Change Dilute a volume of this solution to: <i>Sample solution</i>: Dilute a volume of the <i>Sample stock solution</i> AND Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution</i>: Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
OIL- AND WAT STRENGTH	USP40–NF35	7318	28-Jul-2017	1-Aug-2017	USP42–NF37	First	<p><i>Sample stock solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 1 of <i>Phytonadione/Sample solution:</i> Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> Line 1 of</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ER-SOLUBLE VITAMINS TABLETS						<i>Supplement to USP41–NF36</i>	<i>Vitamin A, Method 1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of <i>Sample solution:</i> Change Dilute a 10-mL volume of this solution to: <i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND Line 1 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution</i>: Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method 1/Sample solution</i>: Change</p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
NEOTAME	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	First Supplement to USP40–NF35	8485	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	retained as specified in the directions for the <i>Sample solution</i> to: retained as specified in the directions for the <i>Sample stock solution</i> Line 2 of USP Neotame Related Compound A RS: Change <i>N</i> -[3,3-Dimethylbutyl)-L-?-aspartyl]-L-phenylalanine. to: <i>N</i> -[<i>N</i> -(3,3-Dimethylbutyl)-L-?-aspartyl]-L-phenylalanine.
ONDANSETRON HYDROCHLORIDE	USP Reference standards <11>	USP40–NF35	5441	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 2 of USP Ondansetron Related Compound A

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
PROPANTHELINE BROMIDE PURITIES/ <i>Organic Impurities/Chromatographic system</i>	USP40–NF35	5882	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	RS: Change 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one hydrochloride. Line 1 of <i>Run time</i> : Change NMT to: NLT
OIL-SOLUBLE VITAMINS WITH MINERALS TABLETS	USP40–NF35	7280	28-Jul-2017	1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 1 of <i>Vitamin A/Sample solution</i> : Change <i>Sample solution</i> to: <i>Sample stock</i>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p><i>solution</i> AND Line 15 of <i>Sample solution:</i> Change Further dilute this solution to: <i>Sample solution:</i> Dilute the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin D/Sample solution:</i> Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Vitamin E/Sample solution:</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change prepared as directed for the <i>Sample solution</i> to: prepared as directed for the <i>Sample stock solution</i> AND Line 2 of <i>P hyt onadi one (Vitamin K₁)</i>:Change as directed for the <i>Sample solution</i> to: as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Beta Carotene/Sample solution</i>: Change as directed for the <i>Sample</i></p>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
SHELLAC	IM PURITIES/ <i>Limit of Chloride</i>	<i>USP40–NF35</i>	7869	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	<i>solution to: as directed for the Sample stock solution</i> Line 1 of <i>Control solution:</i> Change 0.1 M hydrochloric acid VS, to: 0.01 M hydrochloric acid VS,
ERYTHROMYCIN ASSAY/ IN OPHTHALMIC OINTMENT	<i>Proce dure/Analysis</i>	<i>First Supplement to USP40–NF35</i>	8276	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First Supplement to USP41–NF36</i>	Line 9 of the third variable definition list: Change <i>P</i> = potency of erythromycin C in USP Erythromycin B RS (mg/mg) to: <i>P</i> = potency of erythromycin C in USP Erythromycin C RS (mg/mg)
VITAMIN D	ASSAY/	<i>USP40–NF35</i>	462	28-Jul-2017		1-Aug-2017	<i>USP42–NF37</i>	<i>First</i>	<i>Clean-up chrom</i>

Monograph Title	Section	Source Publication	Page Number	Errata Post Date	Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
ASSAY	Chromatographic Method s/Procedure 8							Supplement to USP41–NF36	atographic system: Add Flow rate: 1.1 mL/min AND Analytical chromatographic system: Add Flow rate: 1.0 mL/min
ONDANSETRON TABLETS	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USP40–NF35	5445	28-Jul-2017		1-Aug-2017	USP42–NF37	First Supplement to USP41–NF36	Line 2 of USP Ondansetron Related Compound A RS: Change 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one . to: 3-[(Dimethylamino)methyl]-1,2,3,9-tetrahydro-9-methyl-4H-carbazol-4-one hydrochloride.
OIL-SOLUBLE STRENGTH		USP40–NF35	7258	28-Jul-2017		1-Aug-2017	USP42–NF37	First	Line 1 of

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
VITAMINS TABLETS						<i>Supplement to USP41–NF36</i>	<p><i>Vitamin A, Method 1/Sample solution:</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 16 of <i>Sample solution:</i> Change Dilute a 10-mL volume of this solution to: <i>Sample solution:</i> Dilute a 10-mL volume of the <i>Sample stock solution</i> AND Line 2 of <i>Cholecalciferol or Ergocalciferol (Vitamin D), Method 1/Sample solution:</i></p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							<p>Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 1 of <i>Vitamin E, Method 1/Sample solution</i>: Change Proceed as directed for the <i>Sample solution</i> to: Proceed as directed for the <i>Sample stock solution</i> AND Line 2 of <i>Phytonadione, Method 1/Sample solution</i>: Change</p>

Monograph Title Section	Source Publication	Page Number	Errata Post Date Sort ascending	Errata Official Date	Target Errata Print Publication	Target Online Fix Publication	Description
							retained as specified in the directions for <i>Sample solution</i> to: retained as specified in the directions for <i>Sample stock solution</i>

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 18](#)
- [Page 19](#)
- [Page 20](#)
- [Page 21](#)
- [Page 22](#)
- [Page 23](#)
- [Page 24](#)
- [Page 25](#)
- [Page 26](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)