

[x](#)

How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
 - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
 - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
 - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|---|-----------------------------|---|---|--|--|-------------|
| HALCINONIDE IM | USP39–NF34 | 4176 | 29-Jul-2016 | 1-Aug-2016 | USP41–NF36 | First | Line 1 of |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------------|---|---|---|
| CREAM | PUR ITIES/ <i>Organic Impurities/Chromatographic system</i> | | | | | | <i>Supplement to USP40–NF35</i> | <i>Column: Change 1.8-µm packing L1 to: 1.7-µm packing L1</i> |
| NAPROXEN TABLETS | IM PUR ITIES/ <i>Organic Impurities</i> | <i>USP39–NF34</i> | 4993 | 29-Jul-2016 | 1-Aug-2016 | <i>USP41–NF36</i> | <i>First Supplement to USP40–NF35</i> | Line 6 of <i>Analysis: Change Result = $(r_U/r_S) \times (C_U/C_S) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$</i> |
| TRIHEXYPHENIDYL HYDROCHLORIDE EXTENDED-RELEASE CAPSULES | Assay | <i>USP39–NF34</i> | 6265 | 29-Jul-2016 | 1-Aug-2016 | <i>USP41–NF36</i> | <i>First Supplement to USP40–NF35</i> | Line 1 of <i>Mobile phase and Chromatographic system: Change Prepare as directed in the Assay under Trihexyphenidyl Hydrochloride. to: Mobile phase—Prepare a mixture of acetonitrile, water, and</i> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>triethylamine (920:80:0.2), adjust with phosphoric acid to a pH of 4.0, mix, filter, and degas. Make adjustments if necessary (see <i>System Suitability</i> under <i>Chromatography</i> <621>). <i>Chromatographic system</i> (see <i>Chromatography</i> <621>)—The liquid chromatograph is equipped with a 210-nm detector and a 4.6-mm x 8-cm column that contains 3-μm packing L1. The flow rate is about 2 mL per minute. Chromatograph the <i>Standard</i></p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p><i>preparation, and record the peak responses as directed for Procedure: the column efficiency determined from the analyte peak is not less than 1300 theoretical plates, the tailing factor for the analyte peak is not more than 3.0, and the relative standard deviation for replicate injections is not more than 1.0%. AND Line 1 of Procedure: Change Proceed as directed for Procedure in</i></p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>the Assay under <i>Trihexyphenidyl Hydrochloride</i>. to: Separately inject equal volumes (about 10 µL) of the <i>Standard preparation</i> and the <i>Assay preparation</i> into the chromatograph, record the chromatograms, and measure the responses for the major peaks. AND Line 6 of <i>Procedure</i>: Change and the other terms are as defined therein. to: C is the concentration, in mg per mL, of</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|--|---------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|--|
| BISOCTRIZOL E | ADDITIONAL R EQUIREMENT S/USP Reference Standards <11> | <i>First Supplement to USP39–NF34</i> | 8008 | 29-Jul-2016 | | 1-Aug-2016 | USP41–NF36 | <i>First Supplement to USP40–NF35</i> | USP Trihexyphenidyl Hydrochloride RS in the <i>Standard preparation</i> , r_U and r_S are the trihexyphenidyl peak responses obtained from the <i>Assay preparation</i> and the <i>Standard preparation</i> , respectively. Line 2 of USP Bisotrizole Resolution Mixture RS: Change A mixture of approximately 1.5% of bisotrizole isomer [phenol, 2,2-methylenebis[6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)]] in a matrix of |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|---|-----------------------------|---|--------------------------------------|---|---|--|
| ORALLY INHALED AND NASAL DRUG PRODUCTS | REFERENCES <i>USP39–NF34</i> | 1862 | 29-Jul-2016 | 1-Aug-2016 | <i>USP41–NF36</i> | <i>First Supplement to USP40–NF35</i> | bisotrizole. to: A mixture of approximately 1.5% of bisotrizole isomer [phenol, 2,2?-methylene bis[6-(2 <i>H</i> -benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)]] in a matrix of bisotrizole. Delete reference 3. |
| GRANISETRO N HYDROCHLORIDE INJECTION | <i>USP Reference standards <11></i> <i>USP39–NF34</i> | 4153 | 29-Jul-2016 | 1-Aug-2016 | <i>USP41–NF36</i> | <i>First Supplement to USP40–NF35</i> | Line 2 of USP Granisetron Related Compound B RS: Change (<i>N</i> -[(1 <i>R</i> ,3 <i>r</i> ,5)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1 <i>H</i> -indazole-3-carboxamide). to: |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|------------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| LOVASTATIN | USP Reference standards <11> | USP39–NF34 | 4631 | 29-Jul-2016 | | 1-Aug-2016 | USP41–NF36 | First Supplement to USP40–NF35 | N-[(1R,3r,5S)-9-Methyl-9-azabicyclo[3.3.1]non-3-yl]-1H-indazole-3-carboxamide. Line 2 of USP Lovastatin Related Compound A RS: Change [Dihydro-lovastatin][butanoic acid, 2-methyl-, 1,2,3,4,4a,7,8,8a-octahydro-3,7-dimethyl-8-[2(4-hydroxy-6-oxo-2H-pyran-2-yl)-ethyl]-1-naphthalenyl ester, [1S-[1?(R*), 3?,7?, 8?(2S*,4S*),-8??]]]-. |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| SIMVASTATIN IM TABLETS | USP39–NF34 | 5848 | 29-Jul-2016 | 1-Aug-2016 | USP41–NF36 | First Supplement to USP40–NF35 | (1S,3S,4aR,7S,8S,8aS)-8-{2-[(2R,4R)-4-hydroxy-6-oxotetrahydro-2H-pyran-2-yl]ethyl}-3,7-dimethyl-1,2,3,4,4a,7,8,8a-octahydronaphthalen-1-yl (S)-2-methylbutanoate. Line 5: Change Result = $(r_U/r_S) \times (C_S/C_U) \times (M_{r1}/M_{r2}) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$ AND Delete the variable definitions for M_{r1} and M_{r2} . Line 1: Change 0.5% |
| FUMARIC ACIDS SPECIFIC TESTS | USP39–NF34 | 7309 | 29-Jul-2016 | 1-Aug-2016 | USP41–NF36 | First Supplement to | |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Errata Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|--|--|-----------------------------|----------------------------------|---------------------------------------|--------------------------------------|---|---|---|
| NAPROXEN SODIUM TABLETS | <i>Determination, Method I <921></i> IM PURITIES/Organic Impurities | <i>Second Supplement to USP39–NF34</i> | Online | 29-Jul-2016 | | 1-Aug-2016 | USP41–NF36 | USP40–NF35 <i>First Supplement to USP40–NF35</i> | to: NMT 0.5% Line 6 of <i>Analysis:</i> Change Result = $(r_U/r_S) \times (C_U/C_S) \times 100$ to: Result = $(r_U/r_S) \times (C_S/C_U) \times 100$ |
| BACITRACIN ZINC | IMPURITIES | USP39–NF34 | 2674 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Delete the <i>Residue on Ignition <281></i> test. |
| LORAZEPAM INJECTION | ADDITIONAL REQUIREMENTS/USP Reference Standards <11> | USP39–NF34 | 4620 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 3 of Lorazepam Related Compound B RS: Change C ₁₃ H ₉ ClNO to: C ₁₃ H ₉ Cl ₂ NO |
| NALTREXONE HYDROCHLORIDE | <i>Related compounds</i> | USP39–NF34 | 4985 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 5: Change $10F(C/W)(r_U/r_S)$ to: $1000F(C/W)(r_U/r_S)$ |
| RANITIDINE INJECTION | USP Reference standards <11> | USP39–NF34 | 5670 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 2 of USP Ranitidine Related |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | Compound C RS: Change <i>N</i> -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]- <i>N</i> -methyl-2-nitro-1,1-ethenediamine. to: <i>N</i> -{2-[[{5-[(Dimethylamino)methyl]-2-furanyl}meth |
| | | | | | | | <i>N</i> ?-methyl-2-nitro-1,1-ethenediamine. Line 6 of <i>Sample solution:</i> Change dilute with <i>Diluent</i> to |
| TETRACYCLIN ASSAY/ E HYDROCHLORIDE CAPSULES | USP39–NF34 | 6082 | 27-May-2016 | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| VINPOCETINE IM PUR ITIES/ <i>Organic Impurities</i> | USP39–NF34 | 6880 | 27-May-2016 | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | <p>volume. to: dilute with <i>Solution A</i> to volume.</p> <p>Footnote a of <i>Table 1</i>: Change Ethyl (12RS,13a SR,13bSR)-13a -ethyl-12-hydrox y-2,3,5,6,12,13, 13a,13b- octa hydro-1<i>H</i> -in dolo[3,2,1-<i>de</i>]py rido[3 ,2,1-<i>ij</i>][1,5]naphthyridi ne-12-carboxyla te (ethyl vincamate). to: Ethyl (12S,13aS ,13bS)-13a-ethy l-12-hydroxy-2,3</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | ,5,6,12,13,13a,1 |
| | | | | | | | <p><i>H</i></p> <p>-in</p> <p>dolo[</p> <p>3,2,1-<i>de</i></p> <p>]py</p> <p>rido[3</p> <p>,2,1-<i>ij</i></p> <p>][1,5]naphthyridine-12-carboxylate (ethyl vincamate).</p> <p>AND</p> <p>Footnoteb of</p> <p><i>Table 1:</i></p> <p>Change</p> <p>Methyl</p> <p>(13a<i>S</i>,13b<i>S</i></p> <p>)-13a-ethyl-9-methoxy-2,3,5,6,13a,13b-hexahydro-1<i>H</i></p> <p>-in</p> <p>dolo[</p> <p>3,2,1-<i>de</i></p> <p>]pyrido[3,2,1-<i>ij</i>][</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p>1,5]naphthyridine-12-carboxylate (apovincamine). to: Methyl (13aS,13bS)-13a-ethyl-2,3,5,6,13a,13b-hexahydro-1H-in dolo[3,2,1-de]pyrido[3,2,1-ij][1,5]naphthyridine-12-carboxylate (apovincamine). AND Footnote d of <i>Table 1</i>: Change Ethyl (12RS,13aRS,13bRS)-13a-ethyl-2,3,5,6,12,13,13a,13b-</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|--|
| INDICATORS AND SOLUTIONS | General Tests for Reagents/6.2 Amino Nitrogen Test in Reagents | | | | | | | | numerator of the equation: Change 2.8 to: 14 AND Add $\times f$ AND Line 10: Change where %LOD is the percentage of loss on drying. to: where f is the correction factor obtained in the standardization of 0.2 N sodium hydroxide and %LOD is the percentage of loss on drying. |
| HAZARDOUS DRUGS—HANDLING IN HEALTHCARE SETTINGS | 5. FACILITIES ENGINEERING CONTROLS/5.3 Compounding | First Supplement to USP39–NF34 | 7721 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | First bullet in second paragraph: Change <ul style="list-style-type: none"> • Be externally |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|---|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| IMIQUIMOD CREAM | IM PURITIES/ <i>Organic Impurities</i> | USP39–NF34 | 4289 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | vented through high-efficiency particulate air (HEPA) filtration to: • Be externally vented Row 2 of Column 3 of <i>Table 2</i> : Change 1.5 to: 1.15 AND Row 3 of Column 3 of <i>Table 2</i> : Change 1.15 to: 1.5 |
| METFORMIN HYDROCHLORIDE EXTENDED-RELEASE TABLETS | PERFORMANCE TESTS/ <i>Dissolution</i> <711> | USP39–NF34 | 4766 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 3 of <i>Test 3</i> : Change <i>Medium, Apparatus 1, Apparatus 2, and Analysis</i> : to: <i>Medium, Apparatus 1,</i> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|---------------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| PALIPERIDON E | CHEMICAL INFORMATION | USP39–NF34 | 5253 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | and Apparatus 2: Line 5: Change (9RS)-3-[2-[4-(6-Fluo ro-1,2-benzisox azol-3-yl)]piperid in-1-yl]]ethyl]-9- hydroxy-2-meth yl-6,7,8,9-tetra ydro-4 <i>H</i> -pyrido [1,2- <i>a</i>]pyrimidin-4-one to: (9RS)-3-[2-[4-(6-Fluo ro-1,2-benzisox azol-3-yl)]piperid in-1-yl]]ethyl]-9- hydroxy-2-meth yl-6,7,8,9-tetra ydro-4 <i>H</i> -pyri do[1,2- <i>a</i>]pyrimidin-4-one |
| RANITIDINE IN SODIUM CHLORIDE INJECTION | USP Reference standards <11> | USP39–NF34 | 5673 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 2 of USP Ranitidine Related Compound C RS: Change <i>N</i> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|---|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]ethyl]-N-methyl-2-nitro-1,1-ethenediamine. to: N -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]methyl]methyl]-N-methyl-2-nitro-1,1-ethenediamine. |
| CHONDROITIN SPECIFIC SULFATE SODIUM, SHARK | USP39–NF34 TESTS/ <i>Clarity and Color of Solution</i> | 6570 | 27-May-2016 | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 2 of <i>Instrumental conditions</i> : Change (See <i>Spectrophotometry and Light-Scattering</i> <851>.) |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|-------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| OLEYL ALCOHOL | ASSAY/ Procedure | USP39–NF34 | 7424 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | <p>to: (See <i>Ultraviolet-Visible Spectroscopy <857></i>.)</p> <p>Line 1 of <i>Standard solution</i>: Change Prepare 1.0 mg/mL of USP Oleyl Alcohol RS in <i>Internal standard solution</i>, and heat the solution in a sealed container in a 50° water bath until oleyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well.</p> <p>to: 1.0 mg/mL of USP Oleyl Alcohol RS in</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | <p><i>Internal standard solution</i> AND Line 1 of <i>Sample solution</i>: Change Prepare 1.0 mg/mL of Oleyl Alcohol in <i>Internal standard solution</i>, and heat the solution in a sealed container in a 50° water bath until oleyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well. to: 1.0 mg/mL of Oleyl Alcohol in <i>Internal standard</i></p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|---|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| DIAZEPAM INJECTION | Assay | USP39–NF34 | 3445 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | <i>solution</i> Line 7 of Procedure: 50C / V(R _U / R _S) to: 50(C / V)(R _U / R _S) |
| LORAZEPAM ORAL CONCENTRATE | ADDITIONAL REQUIREMENT S/USP Reference Standards <11> | USP39–NF34 | 4621 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 3 of Lorazepam Related Compound B RS: Change C ₁₃ H ₉ ClNO to: C ₁₃ H ₉ Cl ₂ NO |
| NICOTINE POLACRILEX | ADDITIONAL REQUIREMENT S/USP Reference Standards <11> | USP39–NF34 | 5061 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Add USP Polacrilex Resin RS |
| RANITIDINE ORAL SOLUTION | USP Reference standards <11> | USP39–NF34 | 5671 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 2 of USP Ranitidine Related Compound C RS: Change N -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]su |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| | | | | | | | | | <p>lfinyl]ethyl]-<i>N</i> -methyl-2-nitro- 1,1-ethenediami ne. to: <i>N</i> -{2-[(5-[(Dimeth ylamino)methyl] -2-furanyl)meth</p> |
| TROSPIUM CHLORIDE | ADDITIONAL R EQUIREMENT S/USP <i>Reference</i> <i>Standards <11></i> | USP39–NF34 | 6287 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | <p><i>N</i> ?-methyl-2-nitro -1,1-ethenedia mine. Line 3 of USP Trospium Chloride Related Compound C RS:Change (1<i>R</i>,3<i>r</i>,5<i>S</i>)-3-Hydroxyspir o[8-azoniabicycl o[3.2.1]octane-8 ,1?-pyrrolidiniu m] chloride. to: (1<i>R</i>,3<i>r</i>,5<i>S</i></p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|---|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| CETYL ALCOHOL | IM PURITIES/ <i>Limit of Related Fatty Alcohols</i> | USP39–NF34 | 7239 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | <p>)-3-Hydroxyspiro[8-azoniabicyclo[3.2.1]octane-8,1?-pyrrolidinium] chloride, or (1<i>R</i>,3<i>r</i>,5<i>S</i>)-3-Hydroxyspiro[bicyclo[3.2.1]octane-8,1?-pyrrolidin]-1?-ium chloride.</p> <p>Line 1 of <i>Sample solution</i>: Change 1 mg/mL of Cetyl Alcohol in ethanol to: Prepare 1.0 mg/mL of Cetyl Alcohol in ethanol, and heat the solution in a sealed container in a 50° water bath until cetyl alcohol is dissolved. Allow</p> |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| ALPRAZOLAM PERFORMANC EXTENDED- E RELEASE TESTS/ TABLETS <i>Dissolution</i> <711> | USP39–NF34 | 2389 | 27-May-2016 | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | the solution to cool to room temperature, and mix well. Variable definition list of second equation in <i>Test 2/Analysis:</i> Change V_S = volume of the <i>Sample solution</i> withdrawn at each time point and replaced with <i>Medium</i> (mL) to: V_S = volume of the <i>Sample solution</i> withdrawn at each time point (mL) AND Variable definition list of second equation in <i>Test 3/Analysis:</i> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|--|---------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| | | | | | | | | | Change V_S = volume of the <i>Sample solution</i> withdrawn at each time point and replaced with <i>Medium</i> (mL) to: V_S = volume of the <i>Sample solution</i> withdrawn at each time point (mL) |
| PAROXETINE EXTENDED- RELEASE TABLETS | ADDITIONAL R EQUIREMENT S/USP Reference Standards <11> | <i>First Supplement to USP39–NF34</i> | 8121 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | USP Paroxetine Related Compound B RS: Add $C_{19}H_{21}NO_3 \cdot HCl$ 347.84 |
| LORAZEPAM | ADDITIONAL R EQUIREMENT S/USP Reference Standards <11> | USP39–NF34 | 4618 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 3 of USP Lorazepam Related Compound B RS: Change $C_{13}H_9ClNO$ to: C |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|-------------------------|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---------------------------------------|
| | | | | | | | | | $^{13}\text{H}_9\text{Cl}_2\text{NO}$ |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|---|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|--|
| MYCOPHENOL ASSAY/ ATE SODIUM | <i>Procedure</i> | USP39–NF34 | 4965 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 3: Change <i>Solvent A</i> to: <i>Solution A</i> AND Line 5: Change <i>Solvent B</i> to: <i>Solution B</i> |
| PALIPERIDON IM E | PUR ITIES/ <i>Organic</i> <i>Impuri</i> <i>ties/System</i> <i>suitabil</i> <i>ity/Suitability</i> <i>requirements</i> | USP39–NF34 | 5253 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 3 of <i>Resolution:</i> Change hydroxybenzyl to: hydroxybenzoyl |
| SAMARIUM Sm 153 LEXIDRONAM INJECTION | <i>Other</i> <i>requirements</i> | USP39–NF34 | 5791 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 1: Change <i>Injections and</i> <i>Implanted Drug</i> <i>Products <1>;</i> not subject to <i>Container</i> <i>Content.</i> to: Meets the requirements of <i>Injections and</i> <i>Implanted Drug</i> <i>Products <1>;</i> not subject to |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|--|---|-----------------------------|---|---|--|--|---|
| CHONDROITIN COMPOSITION SULFATE /Disaccharide SODIUM, Composition SHARK | USP39–NF34 | 6570 | 27-May-2016 | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | <p><i>Container content.</i></p> <p>Line 2 of <i>Chondroitinase ABC solution:</i> Change 10.0 mL of <i>Buffer solution</i> to: 1.0 mL of <i>Buffer solution</i> AND Line 4 of <i>Analysis:</i> Change and 1.0 mL to: and 0.1 mL</p> |
| SEMISOLID IN VITRO PER DRUG PRODU FORMANCE CTS—PERFOR TESTS MANCE TESTS | USP39–NF34 | 1869 | 27-May-2016 | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | <p>Line 7 of <i>Application of Drug Release:</i> Change The individual amounts of drug released from <i>R</i> is plotted versus time, to: The individual amounts of drug released from <i>R</i></p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|---|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| SODIUM CETO IM STEARYL SULFATE | PURITIES/ <i>Limit of Sodium Chloride and Sodium Sulfate/Sodium sulfate/ Titrimetric system</i> | USP39–NF34 | 7518 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | are plotted versus the square root of time, Line 1 of <i>Endpoint detection</i> : Change Potentiometric to: Visual |
| DICLOFENAC IM SODIUM EXTE NDED- RELEASE TABLETS | PURITIES/ <i>Organic Impurities</i> | USP39–NF34 | 3460 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 1 of <i>Standard solution</i> : Change 0.001 mg/mL of USP Diclofenac Sodium RS in <i>Diluent</i> to: 0.001 mg/mL each of USP Diclofenac Sodium RS and USP Diclofenac Related Compound A RS in <i>Diluent</i> |
| LORAZEPAM | ADDITIONAL R | USP39–NF34 | 4622 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 3 of USP |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| TABLETS | EQUIREMENT S/USP Reference Standards RS <11> | | | | | | | | Lorazepam Related Compound B RS: Change C ₁₃ H ₉ ClNO to: C ₁₃ H ₉ Cl ₂ NO |
| OXANDROLONE E TABLETS | <i>Dissolution</i> <711>/Test 3 | USP39–NF34 | 5193 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 3 of <i>Chromatographic system:</i> Change 30-cm column to: 3-cm column |
| RANITIDINE TABLETS | <i>USP Reference standards</i> <11> | USP39–NF34 | 5672 | 27-May-2016 | | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 2 of USP Ranitidine Related Compound C RS: Change <i>N</i> -[2-[[[5-[(Dimethylamino)methyl]-2-furanyl]methyl]sulfinyl]ethyl]- <i>N</i> -methyl-2-nitro-1,1-ethenediamine. to: |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| | | | | | | | N -2-[(5-[(Dimethylamino)methyl]-2-furanyl)meth |
| | | | | | | | N ?-methyl-2-nitro-1,1-ethenediamine. |
| CHONDROITIN IM SULFATE SODIUM, SHARK | PURITIES/ <i>Limit of Protein</i> | USP39–NF34 6570 | 27-May-2016 | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 2 of <i>Instrumental conditions</i> : Change (See <i>Spectrophotometry and Light-Scattering <851></i> .) to: (See <i>Ultraviolet-Visible Spectroscopy <857></i> .) |
| MYRISTYL ALCOHOL | ASSAY/ <i>Procedure</i> | USP39–NF34 7413 | 27-May-2016 | 1-Jun-2016 | USP40–NF35 | USP40–NF35 | Line 1 of <i>Standard solution</i> : Change Prepare 1.0 mg/mL of USP |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|--|
| | | | | | | | <p>Myristyl Alcohol RS in <i>Internal standard solution</i>, and heat the solution in a sealed container in a 50° water bath until myristyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well.</p> <p>to:</p> <p>1.0 mg/mL of USP Myristyl Alcohol RS in <i>Internal standard solution</i></p> <p>AND</p> <p>Line 1 of <i>Sample solution</i>: Change Prepare 1.0 mg/mL of Myristyl Alcohol</p> |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| | | | | | | | | | in <i>Internal standard solution</i> , and heat the solution in a sealed container in a 50° water bath until myristyl alcohol is dissolved. Allow the solution to cool to room temperature, and mix well. to: 1.0 mg/mL of Myristyl Alcohol in <i>Internal standard solution</i> |
| SELENOMETHIC ONINE | CHEMICAL INFORMATION | USP38–NF33 | 6226 | 25-Mar-2016 | | 1-Apr-2016 | USP40–NF35 | USP40–NF35 | Line 3: Change [1464-42-2] to: [3211-76-5] |
| PLASTIC MATERIALS OF CONSTRU CTION | TEST ME THOD S/ <i>Extr</i> <i>actions/</i> Table 3 | USP39–NF34 | 493 | 25-Mar-2016 | | 1-Apr-2016 | USP40–NF35 | USP40–NF35 | Line 1 of footnote b: Change For nonplasticized polyethylene |

| Monograph Title Section | Source Publication | Page Number | Errata Post Date Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---|------------------------------------|-----------------------------|---|--------------------------------------|---|---|---|
| FLUTICASONE ASSAY/ PROPIONATE Procedure AND SALMETEROL INHALATION POWDER | USP39–NF34 | 4020 | 25-Mar-2016 | 1-Apr-2016 | USP40–NF35 | USP40–NF35 | only. to: For polyethylene only. Line 3 of <i>System suitability</i> : Change for salmeterol and fluticasone propionate are to: for fluticasone propionate and salmeterol are |
| CONTAINERS-MOISTURE -PERFORMAN VAPOR TRANS CE TESTING MISSI ON/ <i>Packaging System Classification for Multiple-Unit Containers and Unit-Dose Containers for Liquid Oral Dosage Forms/ Procedure</i> | USP38–NF33 | 465 | 25-Mar-2016 | 1-Apr-2016 | USP40–NF35 | USP40–NF35 | Line 1 of the Equation: Change $[(W_{1i} ? W_T) ?(W_{14i} ? W_T) ?(W_{C1} ? W_{C14})] \times365 \times \{[100/(W_{1i}? W_T)] \times 14\}$ to: $[(W_{1i} ? W_T) ?(W_{14i} ? W_T) ?(W_{C1} ? W_{C14})] \times365 \times 100/(W_{1i}? W_T) \times 14$ |
| PLASTIC SPECIFICATIO | USP39–NF34 | 493 | 25-Mar-2016 | 1-Apr-2016 | USP40–NF35 | USP40–NF35 | Line 1 of |

| Monograph Title | Section | Source Publication | Page Number | Errata Post Date | Sort ascending | Errata Official Date | Target Errata Print Publication | Target Online Fix Publication | Description |
|---------------------------------|--|------------------------------------|-----------------------------|----------------------------------|--------------------------------|--------------------------------------|---|---|---|
| MATERIALS OF CONSTRUCTION | NS/ <i>Polyethylene Terephthalate and Polyethylene Terephthalate G/Extractable Metals</i> | | | | | | | | <i>Titanium:</i> Change 0.1 µg/g. to: 1 µg/g. |

Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 22](#)
- [Page 23](#)
- [Page 24](#)
- [Page 25](#)
- [Page 26](#)
- [Page 27](#)
- [Page 28](#)
- [Page 29](#)
- [Page 30](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)