

[x](#)

## How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
  - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
  - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
  - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CAPSICUM	SPECIFIC	<i>Second</i>	6577	22-Nov-2013	1-Dec-2013	<i>USP38–NF33</i>	<i>Second</i>	Line 1 of

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
OLEORESIN	TESTS/ <i>Limit of Nonivamide</i>	<i>Supplement to USP36–NF31</i>						<i>Supplement to USP37–NF32</i>	<i>Acceptance criteria: Change on the dried basis to: on the anhydrous basis</i>
RISPERIDONE ORAL SOLUTION	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>Second Supplement to USP36–NF31</i>	6690	22-Nov-2013		1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Line 2 of USP Risperidone Related Compounds Mixture RS: Change Contains a 98.9: 0.5: 0.30: 0.3 (area %) mixture of four compounds: 98.9% of <i>Risperidone</i> . 0.5% of <i>Risperidone cis-N-oxide: cis -3-[2-[4-(6-Fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>-pyri do[1,2-a ]pyrimidin-4-one ]. 0.3% of <i>Bicyclorisperido ne</i>: 3-(4-Fluoro- 2-hydroxypheny l)-1-[2-(6,7,8,9-t etrahydro-2-met hyl-4 -oxo-4<i>H</i> -pyr ido-[1,2 -a ]pyrimidin-3-yl)e thyl]-1-aza-2-az oniabicyclo[2.2. 2]oct-2-ene iodide. 0.3% of <i>Z</i>- <i>Oxime</i>: (<i>Z</i> )-3-[2-[4-(2,4-Dif luorophenyl) (hy droxyimino)met hyl]-1-piperidiny l]ethyl]-6,7,8,9-t etrahydro-2-met hyl-4<i>H</i> -pyri</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>do[1,2-a]pyrimidin-4-one</p> <p>.</p> <p>to:</p> <p>Contains a mixture of the following four compounds:</p> <p>98.9% of <i>Risperidone</i>.</p> <p>0.5% of <i>Risperidone cis-N-oxide: cis</i>-3-[2-[4-(6-Fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]ethyl]-6,7,8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one-N-oxide.</p> <p>0.3% of <i>Bicyclorisperidone: 3-(4-Fluoro-2-hydroxyphenyl)-1-[2-(6,7,8,9-tetrahydro-2-me</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
BOSWELLIA SERRATA	COMPOSITION /Content of Keto-Derivatives of ?-Boswellic Acids/System s uitability/Suitabil ity requirements	USP36–NF31 1366	22-Nov-2013	1-Dec-2013	USP38–NF33	Second Supplement to USP37–NF32	thyl-4-oxo-4H-pyr ido-[1,2-a ]pyrimidin-3-yl)e thyl]-1-aza-2-az oniabicyclo[2.2. 2]oct-2-ene iodide. 0.3% of Z- Oxime: (Z )-3-[2-[4-(2,4-Dif luorophenyl) (hy droxyimino)met hyl]-1-piperidiny l]ethyl]-6,7,8,9-t etrahydro-2-met hyl-4H -pyri do[1,2-a ]pyrimidin-4-one Line 1 of <i>Tailing factor</i> . Change 11-keto-?-boswellic acid peak to: 3-acetyl-11-ket

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
APROTININ	<i>Limit of des-Ala-aprotinin and des-Ala-des-Gly-aprotinin</i>	USP36–NF31	2522	22-Nov-2013		1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	o-?-boswellic acid peak Change the subsection head <i>Capillary zone electrophoresis system (see Capillary Electrophoresis under Biotechnology-Derived Articles—Test &lt;1047&gt;)</i> — to: <i>Capillary zone electrophoresis system—</i>
KETOROLAC T IM ROMETHAMIN PUR E TABLETS	<i>ITIES/Organic Impurities</i>	USP36–NF31	4042	22-Nov-2013		1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	Line 1 of <i>Sample solution:</i> Change Proceed as directed for the <i>Sample stock solution</i> in the <i>Assay.</i> to: Proceed as directed for the

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
RISPERIDONE <i>USP Reference standards &lt;11&gt;</i>	<i>USP36–NF31</i>	5063	22-Nov-2013	1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	<p><i>Sample solution in the Assay.</i></p> <p>Line 7 of USP Risperidone System Suitability Mixture RS: Change 9-Hydroxyrisperidone-(6RS)-3-[2-[4-(6-fluoro-1,2-benzisoxazol-3-yl)piperidin-1-yl]ethyl]-2,6-dimethyl-6,7,8,9-tetrahydro-4H-pyrido[1,2-a]pyrimidin-4-one .</p> <p>to:</p> <p>9-Hydroxyrisperidone: (9RS)-3-{2-[4-(6-fluoro-1,2-benzisoxazol-3-yl)piperidin-1-yl]ethyl}-9-h</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CHINESE SALVIA	COMPOSITION	<i>Second Supplement to Salviolic Acid USP36–NF31 B</i>	6331	22-Nov-2013		1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	ydroxy-2-methyl-6,7,8,9-tetrahydro-4H-pyridopyrimidin-4-one . Line 16 of Analysis: Change W = weight of Chinese Salvia used to prepare the <i>Sample solution</i> (mg) to: W = weight of Chinese Salvia used to prepare the <i>Sample stock solution</i> (mg)
LORATADINE	IMPURITIES/Organic Impurities, Procedure 1	<i>Second Supplement to USP36–NF31</i>	6650	22-Nov-2013		1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Line 3 of Note: Change 4,8-dichloro-6,11-dihydro-5H-benzo[5,6]cyclohepta[1,2-b]pyridin-11-one



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
POLYETHYLENE GLYCOL MONOMETHYL ETHER	IM PURITIES/ <i>Limit of 2-Methoxyethanol</i>	USP36–NF31	2142	22-Nov-2013		1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	to: 4,8-dichloro-5,6-dihydro-11H-benzo[5,6]cyclohepta[1,2-b]pyridin-11-one Line 11 of <i>Calibration</i> : Change On the two <i>Calibration</i> plots, to: On the <i>Calibration</i> plot, Line 2: Change gadoteridol. to: Gadoteridol Injection. Line 3 of <i>Chromatographic system</i> : Change a 0.32-mm × 25-m column that contains coating G1, to:
GADOTERIDOL INJECTION	<i>Bacterial endotoxins &lt;85&gt;</i>	USP36–NF31	3701	22-Nov-2013		1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	to: Gadoteridol Injection. Line 3 of <i>Chromatographic system</i> : Change a 0.32-mm × 25-m column that contains coating G1, to:
OCTINOXATE	<i>Assay</i>	USP36–NF31	4556	22-Nov-2013		1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	to: Gadoteridol Injection. Line 3 of <i>Chromatographic system</i> : Change a 0.32-mm × 25-m column that contains coating G1, to:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ISOTRETINOIN CAPSULES	PERFORMANCE TESTS/ Dissolution <711>/Test 4	<i>First Supplement to USP36–NF31</i>	6000	22-Nov-2013		1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	a 0.32-mm x 25-m column with 0.25-µm thickness of phase G1 coating, Line 13 of <i>System suitability</i> . Add section heads before "Calculate the percentage....": <i>Analysis Samples: Standard solution and Sample solution</i>
CYCLOBENZAPRINE HYDROCHLORIDE	ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	<i>Second Supplement to USP36–NF31</i>	6585	22-Nov-2013		1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Line 2 of USP C yclobenzaprine Related Compound A RS: Change 5-[3-(Dimethyl amino)propyl]-10,11-dihydro-5H-benz[ <i>a,d</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
TRAMADOL HYASSAY/ DROCHLORID Procedure E	<i>Second Supplement to USP36–NF31</i>	6715	22-Nov-2013	1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	]cyclohepten-5-ol. to: 5-[3-(Dimethylamino)propyl]-5H-dibenzo[a,d]cyclohepten-5-ol. Line 2 of <i>System suitability solution</i> : Change USP Tramadol Hydrochloride Related Compound A RS to: USP Tramadol Related Compound A RS
BOSWELLIA SERRATA EXTRACT	COMPOSITION <i>USP36–NF31</i> <i>/Content of Keto-Derivatives of ?-Boswellic</i>	1367	22-Nov-2013	1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Line 1 of <i>Tailing factor</i> . Change 11-keto-?-boswellic acid

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									peak to: 3-acetyl-11-keto- $\beta$ -boswellic acid peak
CARVEDILOL	IM PURITIES/Organic Impurities, Procedure 3: Carvedilol Related Compound F	USP36-NF31	2822	22-Nov-2013		1-Dec-2013	USP38-NF33	Second Supplement to USP37-NF32	Line 2 of Sample solution: Change Use about 1.9 mL of Diluent per mg of the Carvedilol, and sonicate briefly to facilitate dissolution. to: Initially add Diluent to fill about 80% of the total volume. Sonicate briefly to facilitate dissolution. Cool, and dilute with Diluent to volume.
LEVALBUTEROL INHALATION	ADDITIONAL REQUIREMENT S/USP	USP36-NF31	4080	22-Nov-2013		1-Dec-2013	USP38-NF33	Second Supplement to USP37-NF32	Line 35: Delete USP Levalbuterol

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SOLUTION		<i>Reference Standards &lt;11&gt;</i>							Related Compound H RS 4-[2-( <i>tert</i> -Butylamino)-1-methoxyethyl]-2-(hydroxymethyl)phenol. C <sub>14</sub> H <sub>23</sub> NO <sub>3</sub> 253.34
RISPERIDONE ADDITIONAL R ORALLY DISINTEGRATING TABLETS		<i>USP36–NF31 S/USP Reference Standards &lt;11&gt;</i>	5067	22-Nov-2013		1-Dec-2013	<i>USP38–NF33</i>	<i>Second Supplement to USP37–NF32</i>	Line 2 of USP Risperidone Related Compounds Mixture RS: Change Contains a 98.9/0.5/0.3/0.3 (area %) mixture of the following four compounds: Risperidone (98.9%) Risperidone <i>cis</i> - <i>N</i> -oxide (0.5%): <i>cis</i> -3-[2-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]ethyl]-6,7,

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>8,9-tetrahydro-2-methyl-4H-pyrido[1,2-a]pyrimidin-4-one, N-oxide monohydrate.  <math>C_{23}H_{29}FN_4O_4</math>  444.50  Bicyclorisperidone (0.3%): 3-(4-fluoro-2-hydroxyphenyl)-1-[2-(6,7,8,9-tetrahydro-2-methyl-4-oxo-4H-pyrido[1,2-a]pyrimidin-3-yl)ethyl]-2-aza-1-azoniabicyclo[2.2.2]oct-2-ene iodide.  <math>C_{23}H_{28}FIN_4O_4</math>  538.40  Z-oxime (0.3%): (Z)-3-[2-[4-(2,4-Difluorophenyl)(hy</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>droxyimino)met hyl]-1-piperidiny l]ethyl]-6,7,8,9-t etrahydro-2-met hyl-4<i>H</i> -pyri do[1,2-<i>a</i> ]pyrimidin-4-one . C<sub>23</sub>H<sub>28</sub>F<sub>2</sub>N<sub>4</sub>O<sub>2</sub> 430.29 to: Contains a mixture of four compounds: 98.9% of <i>Risperidone</i>. 0.5% of <i>Ris peridon ecis-N-oxide: cis</i> -3-[2-[4-(6-Fluor o-1,2-benzisoxa zol-3-yl)-1-piperi diny]ethyl]-6,7, 8,9-tetrahydro-2 -methy l-4<i>H</i> -pyri do[1,2-<i>a</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>]pyrimidin-4-one -<i>N</i>-oxide. 0.3% of <i>Bicyclorisperido</i> <i>ne</i>: 3-(4-Fluoro- 2-hydroxypheny l)-1-[2-(6,7,8,9-t etrahydro-2-met hyl-4 -oxo-4<i>H</i> -pyr ido-[1,2 -a ]pyrimidin-3-yl)e thyl]-1-aza-2-az oniabicyclo[2.2. 2]oct-2-ene iodide. 0.3% of <i>Z</i>- <i>Oxime</i>: (<i>Z</i> )-3-[2-[4-(2,4-Dif luorophenyl)(hy droxyimino)met hyl]-1-piperidiny l]ethyl-6,7,8,9-te trahydro-2-meth yl-4<i>H</i> -pyri do[1,2-<i>a</i> ]pyrimidin-4-one</p>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
VALERIAN TINCTURE	ST REN	<i>Second Supplement to GTH/Content of Valerenic Acids</i>	6352	22-Nov-2013		1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	Line 1 of <i>Acceptance criteria</i> : Change 90.0%–120.0% to: NLT 0.015% of valerenic acids, calculated as the sum of hydroxyvalerenic acid, acetoxyvalerenic acid, and valerenic acid
PARICALCITOLIM INJECTION	PUR	<i>Second Supplement to ITIES/Organic Impurities/Chromatographic system/Columns</i>	6678	22-Nov-2013		1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	Line 1 of <i>Guard</i> : Change 4.6-mm x 7.5-cm to: 4.6-mm x 7.5-mm
FERRIC AMMONIUM CITRATE	Mercury	<i>USP36–NF31</i>	2469	22-Nov-2013		1-Dec-2013	USP38–NF33	<i>Second Supplement to USP37–NF32</i>	Line 5 of <i>Standard solutions</i> : Change 2.5, 5.0, 10.0, and 35.0 µg to: 2.5, 5.0, 10.0,

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
GRANISETRO N HYDROCHL ORIDE INJECTION	Assay	USP36–NF31	3772	22-Nov-2013		1-Dec-2013	USP38–NF33	Second Supplement to USP37–NF32	and 35.0 ng Line 10 of <i>Procedure:</i> Change 100(312.41 / 348.87)(C/L)(r <sub>U</sub> / r <sub>S</sub> ) to: 100(312.41 / 348.87) (C/C <sub>U</sub> )(r <sub>U</sub> / r <sub>S</sub> ) AND Line of 14 of <i>Procedure:</i> Change L is as defined above; to: C <sub>U</sub> is the nominal concentration, in mg per mL, of granisetron in the Assay <i>preparation</i> ; Change: and to: or
ETHYL OLEATE	SPECIFIC TESTS/ <i>Viscosity—Capillary Viscometer Methods &lt;911&gt; and Rotational</i>	USP36–NF31	2006	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
<p style="text-align: center;"><i>Rheometer Methods &lt;912&gt;</i></p> <p>OXYMETAZOLINE HYDROCHLORIDE OPTHALMIC SOLUTION</p>	USP36–NF31	4652	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p>Line 1: Change A volume of Ophthalmic Solution, equivalent to about 2.5 mg of oxymetazoline hydrochloride, responds to the <i>Id</i> entification test under <i>Oxymetazoline Hydrochloride Nasal Solution</i>. to:</p> <p>Place a volume of Ophthalmic Solution, equivalent to about 2.5 mg of oxymetazoline hydrochloride, in a 60-mL separator, and add water to make about 10 mL. Add 2 mL of sodium</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							carbonate solution (1 in 10), extract with 10 mL of chloroform, and transfer the chloroform extract to a second 60-mL separator. Extract the chloroform solution with 10 mL of 0.1 N hydrochloric acid, allow to separate, and discard the chloroform layer. Transfer 8 mL of the acidic aqueous layer to a test tube, neutralize by the dropwise addition of 1 N sodium hydroxide, add 1 drop of 1 N sodium hydroxide in

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
LINOLEOYL P IM OLYOXYLGLY PURITIES/ <i>Limit of Free Glycerol</i> CERIDES	USP36–NF31	2068	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	excess, and mix. Add a few drops of sodium nitroferricyanide TS and 2 drops of sodium hydroxide solution (15 in 100), mix, and allow to stand for 10 minutes. Add 0.1 N hydrochloric acid dropwise until the pH is between 8 and 9, and allow to stand for 10 minutes. A violet color develops. Line 1 of <i>Mode in Titrimetric system</i> : Change Direct titration to: Residual titration AND Line 10 of <i>Analysis</i> :

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
RIVASTIGMINE CHEMICAL TARTRATE INFORMATION	USP36–NF31	5073	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p>Change (<math>V_S</math> ? <math>V_B</math>) to: (<math>V_B</math> ? <math>V_S</math>) AND</p> <p>Line 11 of <i>Analysis</i>: Change <math>V_S = \textit{Titrant}</math> volume consumed by the <i>Sample</i> (mL) <math>V_B = \textit{Titrant}</math> volume consumed by the <i>Blank</i> (mL) to: <math>V_B = \textit{Titrant}</math> volume consumed by the <i>Blank</i> (mL) <math>V_S = \textit{Titrant}</math> volume consumed by the <i>Sample</i> (mL)</p> <p>Line 1: Change 398.41 to:</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
POLYSORBAT E 80	SPECIFIC TESTS/ <i>Viscosity—Capillary Viscometer Methods &lt;911&gt; and Rotational Rheometer Methods &lt;912&gt;</i>	<i>USP36–NF31</i>	2163	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	400.42 Line 1: Change and to: or
BACLOFEN	ASSAY/ <i>Procedure/Chromatographic system</i>	<i>First Supplement to USP36–NF31</i>	5951	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 1 of Column: Change 250-cm to: 25.0-cm
SORBITAN MONOSTEARATE	IDENTIFICATION N/A.	<i>USP36–NF31</i>	2214	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 1 of Sample: Change 1 g of the residue obtained in the Assay for Fatty Acids to: Residue obtained in the Assay for Fatty Acids AND Line 2 of Acceptance

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
FILGRASTIM	ASSAY/Potency	<i>Second Supplement to USP36–NF31</i>	6606	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	<i>criteria: Change 200–215 to: 200–215 on 1-g sample</i> Line 7 of <i>Preparation of cells for analysis:</i> Change Column 1 is filled with 50 L of <i>Medium B.</i> to: Column 1 is filled with 50 µL of <i>Medium B.</i>
BUTABARBITAL SODIUM TABLETS	<i>Identification, Infrared Absorption &lt;197K&gt;</i>	<i>USP36–NF31</i>	2716	27-Sep-2013		1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 5 of <i>Test specimen:</i> Change Proceed as directed for <i>Column Partition Chromatography</i> under <i>Chromatography &lt;621&gt;</i> , packing the chromatographic tube as follows.



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
DILUTED ALCOHOL	ADDITIONAL REQUIREMENTS	USP36–NF31	1874	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	to: Pack a chromatographic tube as follows. Delete <i>USP Reference Standards &lt;11&gt;</i> section
DROSPIRENONE	IMPURITIES/ <i>Organic Impurities/Procedure 2</i>	USP36–NF31	3349	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	In footnote b of <i>Table 4</i> : Change 5?,17?-Dihydroxy-6?,7?:15?,16?-dimethylene-17?-pregnan-21-carboxylic acid, ?-lactone. to: 5?,17-Dihydroxy-6?,7?:15?,16?-dimethylene-3-oxo-17?-pregnan-21-carboxylic acid, ?-lactone.
CETYL ALCOHOL	SPECIFIC TESTS/ <i>Fats and Fixed Oils, Hydroxyl Value &lt;401&gt;</i>	USP36–NF31	1956	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Mode in Titrimetric system</i> : Change Direct titration to: Residual titration

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>AND</p> <p>Line 9 of <i>Analysis:</i> Change Result = <math>[(V_S ? V_B) \times F]/W</math> to: Result = <math>[(V_B ? V_S) \times N \times M_r]/W</math></p> <p>AND</p> <p>Line 10 of <i>Analysis:</i> Change <math>V_S = \textit{Titrant}</math> volume consumed by the <i>Sample</i> (mL) <math>V_B = \textit{Titrant}</math> volume consumed by the <i>Blank</i> (mL) <math>F = \textit{factor}</math>, 56.1 to: <math>V_B = \textit{Titrant}</math> volume consumed by the <i>Blank</i> (mL) <math>V_S = \textit{Titrant}</math> volume consumed by</p>

<a href="#">Monograph Title/Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE TABLETS	USP36–NF31	4327	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	the <i>Sample</i> (mL) <i>N</i> = actual normality of 1 N sodium hydroxide (mEq/mL) <i>M<sub>r</sub></i> = molecular weight of potassium hydroxide, 56.11 Line 1 of <i>Capacity factor</i> . Change NMT 2 to: NLT 2
HYDROXYETHYL CELLULOSE SPECIFIC TESTS/ <i>Viscosity—Capillary Viscometer Methods &lt;911&gt; and Rotational Rheometer Methods &lt;912&gt;</i>	USP36–NF31	2038	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1: Change and to: or
RIFAMPIN, ISONIAZID, PYRAZINAMIDE, AND	USP36–NF31	5047	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 12 of <i>Procedure</i> : Change the <i>Standard</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source</a> <a href="#">Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post</a> <a href="#">Date</a> <a href="#">Sort</a> <a href="#">ascending</a>	<a href="#">Errata Official</a> <a href="#">Date</a>	<a href="#">Target Errata</a> <a href="#">Print Publication</a>	<a href="#">Target Online</a> <a href="#">Fix Publication</a>	Description
ETHAMBUTOL HYDROCHLOR IDE TABLETS							<i>preparation and the Assay preparation, respectively. to: the Assay preparation and the Standard preparation, respectively.</i>
POLYOXYL 10 SPECIFIC OLEYL ETHER TESTS/ <i>Average</i> <i>Polymer Length</i>	USP36–NF31	2150	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 9 of <i>Analysis:</i> Change Result = [(31 $A_2/A_1$ ? 3)]/4 to: Result = [(31 × $A_2/A_1$ ) ? 3]/4
COMPOUND <i>Assay for zinc</i> UNDECYLENIC <i>undecylenate</i> ACID OINTMENT	USP36–NF31	5516	27-Sep-2013	1-Oct-2013	USP38–NF33	<i>First Supplement to USP37–NF32</i>	Line 15 of <i>Procedure:</i> Change 431.94 is the molecular weight of zinc undecylenate; to: $M_r$ is the molecular weight of zinc undecylenate, 431.94;

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
SORBITAN IDENTIFICATIO MONOOLEATE N/A.	USP36–NF31	2213	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<p>AND Line 16 of <i>Procedure:</i> Change 65.39 is the atomic weight of zinc; to: <math>A_r</math> is the atomic weight of zinc, 65.39; AND Line 19 of <i>Procedure:</i> Change <math>C_H</math> and <math>C_L</math> are the concentrations, in <math>\mu\text{g}</math> per mL, to: <math>C_{s1}</math> and <math>C_{s2}</math> are the concentrations, in <math>\mu\text{g}</math> per mL, Line 1 of <i>Sample:</i> Change 1 g of the residue obtained in the <i>Assay for Fatty</i></p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									<p><i>Acids</i> to: Residue obtained in the <i>Assay for Fatty Acids</i> AND Line 2 of <i>Acceptance criteria</i>: Change 192–204 to: 192–204 on 1-g sample</p>
QUININE SULFATE TABLETS	ASSAY/ <i>Procedure</i>	<i>First Supplement to USP36–NF31</i>	6046	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	<p>Line 4 of <i>Analysis</i>: Change dihydroquinone sulfate to: dihydroquinine sulfate</p>
STEAROYL PO IM LYOXYLGLYC ERIDES	PURITIES/ <i>Limit of Free Glycerol</i>	<i>USP36–NF31</i>	2250	27-Sep-2013		1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	<p>Line 11 of <i>Analysis</i>: Change (<math>V_S</math> ? <math>V_B</math>) to: (<math>V_B</math> ? <math>V_S</math>) AND Line 12 of <i>Analysis</i>:</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							Change $V_S = \textit{Titrant}$ volume consumed by the <i>Sample</i> (mL) $V_B = \textit{Titrant}$ volume consumed by the <i>Blank</i> (mL) to: $V_B = \textit{Titrant}$ volume consumed by the <i>Blank</i> (mL) $V_S = \textit{Titrant}$ volume consumed by the <i>Sample</i> (mL)
ELEMENTAL I ANALYTICAL MPURITIES—LITESTING MITS	USP36–NF31	151	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 2: Change If, by validated processes and supply-chain control, to: If, by process monitoring and supply-chain control,
CARISOPROD	USP Reference USP36–NF31	2813	27-Sep-2013	1-Oct-2013	USP38–NF33	First	Line 2 of USP

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
OL, ASPIRIN, AND CODEINE PHOSPHATE TABLETS						<i>Supplement to USP37–NF32</i>	Codeine N -Oxide RS: Change $C_{18}H_{21}O_4$ to: $C_{18}H_{21}NO_4$
CAPRYLOCAP IM ROYL POLYOX PURITIES/ <i>Limit</i> YLGLYCERIDE <i>of Free Glycerol</i> S	<i>USP36–NF31</i>	1922	27-Sep-2013	1-Oct-2013	<i>USP38–NF33</i>	<i>First Supplement to USP37–NF32</i>	Line 1 of <i>Mode</i> in <i>Titrimetric</i> system: Change Direct titration to: Residual titration AND Line 10 of <i>Analysis</i> : Change ( $V_T ? V_B$ ) to: ( $V_B ? V_S$ ) AND Line 11 of <i>Analysis</i> : Change $V_T = \textit{Titrant}$ volume consumed by the <i>Sample</i> (mL) $V_B = \textit{Titrant}$ volume



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
FERUMOXASIL ORAL SUSPENSION	Viscosity—Capillary Viscometer Methods <911> and Rotational Rheometer Methods <912>	USP36–NF31	3572	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	consumed by the <i>Blank</i> (mL) to: $V_B = \text{Titrant volume consumed by the } Blank \text{ (mL)}$ $V_S = \text{Titrant volume consumed by the } Sample \text{ (mL)}$ Line 1: Change and to: or
FERROSOFERRIC OXIDE	IMPURITIES	USP36–NF31	2018	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Sample solution C</i> in <i>Limit of Lead (Pb)</i> : Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 1 of <i>Sample solution D</i> in <i>Limit of</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p><i>Lead (Pb):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 1 of <i>Sample solution A in Limit of Mercury (Hg) and Nickel (Ni):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 1 of <i>Sample solution B in Limit of Mercury (Hg) and Nickel (Ni):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> AND Line 1 of <i>Sample solution</i></p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
POLYVINYL ALCOHOL	SPECIFIC TESTS/ <i>Viscosity—Capillary Viscometer Methods &lt;911&gt;, Rotational Rheometer Methods &lt;912&gt;, and Rolling Ball Viscometer Method &lt;913&gt;</i>	USP36–NF31	4830	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	<i>C in Limit of Mercury (Hg) and Nickel (Ni):</i> Change <i>Sample solution</i> to: <i>Sample stock solution</i> Line 2: Change and to: or
OLEOYL POLY OXYLGLYCERIDES	IMPURITIES/ <i>Limit of Free Glycerol</i>	USP36–NF31	2112	27-Sep-2013		1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 1 of <i>Mode</i> in <i>Titrimetric system</i> : Change Direct titration to: Residual titration AND Line 10 of <i>Analysis</i> : Change (V

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>s? <math>V_B</math>)  to:  (<math>V_B</math> ? <math>V_S</math>)  AND  Line 11 of  <i>Analysis:</i>  Change  <math>V_S = \textit{Titrant}</math>  volume  consumed by  the <i>Sample</i>  (mL)  <math>V_B = \textit{Titrant}</math>  volume  consumed by  the <i>Blank</i> (mL)  to:  <math>V_B = \textit{Titrant}</math>  volume  consumed by  the <i>Blank</i> (mL)  <math>V_S = \textit{Titrant}</math>  volume  consumed by  the <i>Sample</i>  (mL)</p>
SALICYLIC ACID	USP Reference standards <11>	USP36–NF31 5098	27-Sep-2013	1-Oct-2013	USP38–NF33	First Supplement to USP37–NF32	Line 3 of USP Salicylic Acid Related Compound A

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									RS: Change [CAS-99-96-7]. to: [99-96-7]. AND Line 3 of USP Salicylic Acid Related Compound B RS: Change $C_8H_6O_4$ to: $C_8H_6O_5$

## Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- ...
- [Page 31](#)
- [Page 32](#)
- [Page 33](#)
- [Page 34](#)
- [Page 35](#)
- [Page 36](#)
- [Page 37](#)
- [Page 38](#)
- [Page 39](#)
- ...
- [Next page Next ›](#)
- [Last page Last »](#)

---