

[x](#)

## How to Use

- **Searching:** Type keyword in search field at top of page. Search by all or part of a monograph title. For searches using multiple criteria, you will find items that match each of the specified criteria unless quotation marks are used.
  - For example, a search on Aminosalicyclic Acid Tablets will result in anything that contains “Aminosalicyclic” OR “Acid” OR “Tablets”
  - A search for “Aminosalicyclic Acid Tablets” will result in anything that specifically contains “Aminosalicyclic Acid Tablets”
- **Sorting:** Click on any column header title to sort alphabetically or chronologically in ascending or descending order. Note: the page load column is sorted alphabetically so that a number is ordered by first digit vs. by the actual number; thus, numbers will not always be in order.
  - For example, page 2178 will come before page 74 on a page sort.
- **Downloading:** You can download the Errata table in Comma-separated Value (.csv). The download will include the Errata that you have filtered on.
- **Importing:** You will need to import the file into Excel or Open Office with UTF-8 encoding, as opposed to simply opening it. To import, open Excel or Open Office and select import from the File drop-down. Depending on the version you are using, you should be presented with import formatting options to include UTF-8 as one of the first steps. Importing via UTF-8 should eliminate odd character conversions.

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MESO-	COMPOSITION	USPNF Online	Online	<a href="#">27-Jan-2023</a>	1-Jun-2023	NA	NA	In System

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ZEAXANTHIN	<i>/Stereoisomeric Composition</i>						<p><i>suitability.</i>  Change  [Note—The approximate relative retention times for (3S,3?S)-zeaxanthin, (3R,3?S-meso)-zeaxanthin, (3R,3?R)-zeaxanthin, and (3R,3?R,6?R)-lutein are 0.94, 1.00, 1.06, and 1.11, respectively.]  to:  [Note—The approximate relative retention times for (3S,3?S)-zeaxanthin, (3R,3?S)-zeaxanthin, (3R,3?R</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>)-zeaxanthin, and (3R,3?R,6?R) )-lutein are 0.94, 1.00, 1.06, and 1.11, respectively.] AND In <i>System suitability/Suitability requirements/Resolution:</i> Change (3R,3?S-meso) )-zeaxanthin to: (3R,3?S) )-zeaxanthin AND In <i>Analysis:</i> Change (3R,3?S-meso) )-zeaxanthin to: (3R,3?S) )-zeaxanthin</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
POTASSIUM GLUCONATE ORAL SOLUTION	SPECIFIC TESTS	USPNF Online	Online	27-Jan-2023		1-Feb-2023	NA	NA	AND In Acceptance criteria: Change (3R,3?S- meso )-Zeaxanthin to: (3R,3?S )-Zeaxanthin Change <b>Alcohol Determination</b> ?611?, Method II—Distillation Method: to: <b>Alcohol Determination</b> ?611?, Method I—Distillation Method:
Methyl Acetate	CHEMICAL INFORMATION	USPNF Online	Online	27-Jan-2023		1-Feb-2023	NA	NA	Change CAS RN®: 74-20-9. to: CAS RN®: 79-20-9.
MESO- ZEAXANTHIN	CHEMICAL INFORMATION	USPNF Online	Online	27-Jan-2023		1-Jun-2023	NA	NA	Change (3R,3?S- meso

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
AZTEC MARIGOLD ZEAXANTHIN EXTRACT	COMPOSITION <i>/Procedure 4: Stereoisomeric Composition</i>	USPNF Online	Online	27-Jan-2023		1-Feb-2023	NA	NA	<p>)-Zeaxanthin to: (3R,3?S )-Zeaxanthin In System suitability/Suitability requirements/Resolution: Change (3R,3?S meso )-zeaxanthin to: (3R,3?S )-zeaxanthin AND In Analysis: Change (3R,3?S meso )-zeaxanthin to: (3R,3?S )-zeaxanthin AND In Acceptance criteria: Change (3R,3?S</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ISOBUTYL ALCOHOL	ASSAY/ Procedure	USPNF Online	Online	27-Jan-2023		1-Feb-2023	NA	NA	<p><i>meso</i>)-Zeaxanthin to: (3<i>R</i>,3'<i>S</i>)-Zeaxanthin</p> <p>In <i>Analysis</i>: Change <math>r_S</math> = sum of all the peaks except those each of which with an area less than 0.1 times the area of the major peak from the <i>Reference solution</i> to: <math>r_T</math> = sum of all the peaks except those each of which with an area less than 0.1 times the area of the major peak from the <i>Reference solution</i></p> <p>In <i>Analysis</i>:</p>
FLUTICASONE IM		USPNF Online	Online	27-Jan-2023		1-Feb-2023	NA	NA	In <i>Analysis</i> :

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PROPIONATE PUR NASAL SPRAY	PUR ITIES/ <i>Organic Impurities</i>								Change Samples: <i>System suitability solution, Identification solution, and Sample solution</i> to: Samples: <i>Identification solution and Sample solution</i>
MESO- ZEAXANTHIN PREPARATION	COMPOSITION <i>/Stereoisomeric Composition</i>	USPNF Online	Online	27-Jan-2023		1-Feb-2023	NA	NA	In <i>System suitability</i> : Change [Note—The approximate relative retention times for (3 <i>S</i> ,3? <i>S</i> )-zeaxanthin, (3 <i>R</i> ,3? <i>S</i> - <i>meso</i> )-zeaxanthin, (3 <i>R</i> ,3? <i>R</i> )-zeaxanthin, and (3 <i>R</i> ,3? <i>R</i> ,6? <i>R</i> )-lutein are

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>0.94, 1.00, 1.06, and 1.11, respectively.]  to:  [Note—The approximate relative retention times for (3S,3?S)-zeaxanthin, (3R,3?S)-zeaxanthin, (3R,3?R)-zeaxanthin, and (3R,3?R,6?R)-lutein are 0.94, 1.00, 1.06, and 1.11, respectively.]  AND  In <i>System suitability/Suitability requirements/Resolution: Change (3R,3?S-</i></p>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MESO-ZEAXANTHIN	ADDITIONAL R EQUIREMENT S/USP Reference Standards <11>	USPNF Online	Online	27-Jan-2023		1-Jun-2023	NA	NA	<i>meso</i> )-zeaxanthin to: (3R,3?S )-zeaxanthin AND In <i>Analysis</i> : Change (3R,3?S- <i>meso</i> )-zeaxanthin to: (3R,3?S )-zeaxanthin AND In <i>Acceptance</i> <i>criteria</i> : Change (3R,3?S- <i>meso</i> )-Zeaxanthin to: (3R,3?S )-Zeaxanthin In USP <i>meso</i> -Zeaxanthin RS: Change (3R,3?S- <i>meso</i> )-Zeaxanthin. to:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
LEAD	PROCEDURES	USPNF Online	Online	27-Jan-2023		1-Jun-2023	NA	NA	(3R,3'S)-Zeaxanthin. In <i>Analysis</i> : Change Add to the acid solution 5.0 mL of <i>Standard dithizone solution</i> and 4 mL of <i>Ammonia cyanide solution</i> , to: Add to the acid solution 5.0 mL of <i>Standard dithizone solution</i> and 4 mL of <i>Ammonium cyanide solution</i> ,
METARAMINO L BITARTRATE	SPECIFIC TESTS/ <i>Content of Tartaric Acid</i>	USPNF Online	Online	27-Jan-2023		1-Feb-2023	NA	NA	In <i>Analysis</i> : Change Result = $\frac{\{(V_S \cdot V_B) \times N \times F\}}{2 \times W} \times 100$ to: Result = $\frac{\{(V_S \cdot V_B) \times N \times F\}}{(2 \times W)} \times$

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
LYSINE ACETATE	IM PURITIES/Related Compounds	USPNF Online	Online	16-Dec-2022		1-Jun-2023	NA	NA	100 In <i>Chromatographic system/Spray reagent</i> . Change 0.2 g of ninhydrin in a mixture of butyl alcohol and 2 N acetic acid (95:5) to: 2 mg/mL of ninhydrin in a mixture of butyl alcohol and 2 N acetic acid (95:5)
METOLAZONE TABLETS	ASSAY/ Procedure	USPNF Online	Online	16-Dec-2022		1-Jan-2023	NA	NA	In <i>Buffer</i> . Change 1.38 g of monobasic potassium phosphate monohydrate in 900 mL of water. to: 1.38 g of monobasic

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MAFENIDE ACETATE FOR PUR TOPICAL SOLUTION	IM ITIES/ <i>Organic Impurities</i>	USPNF <i>Online</i>	Online	16-Dec-2022		1-Jan-2023	NA	NA	sodium phosphate in 900 mL of water. In <i>System suitability</i> : Change <b>Samples</b> : <i>System suitability solution, Standard solution A, and Standard solution B</i> to: <b>Samples</b> : <i>System suitability solution and Standard solution A</i> AND In <i>Analysis</i> : Change <b>Samples</b> : <i>Mobile phase, Standard solution A, and Sample solution</i>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
LYSINE HYDR IM OCHLORIDE PUR ITIES/ <i>Related</i>	<i>USPNF Online</i>	Online	16-Dec-2022	1-Jun-2023	NA	NA	<p>Chromatograph the <i>Standard solution</i> and adjust the integration parameters so that the response is 5%–15% of full-scale deflection. to:</p> <p><b>Samples:</b> <i>Mobile phase, Standard solution A, Standard solution B, and Sample solution</i></p> <p>Chromatograph <i>Standard solution B</i> and adjust the integration parameters so that the response is 5%–15% of full-scale deflection. In <i>Chromatographic system/Spray</i></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
<i>Compounds</i>							<i>reagent:</i> Change 0.2 g of ninhydrin in a mixture of butyl alcohol and 2 N acetic acid (95:5) to: 2 mg/mL of ninhydrin in a mixture of butyl alcohol and 2 N acetic acid (95:5) In <i>Limit of Unspecified Impurities:</i> Change <b>Mobile phase</b> and <b>Chromatographic system:</b> Proceed as directed in the Assay. to: <b>Mobile phase, Standard stock solution,</b> and
PALONOSETR IMPURITIES ON HYDROCHLORIDE	USPNF Online	Online	16-Dec-2022	1-Jan-2023	NA	NA	

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ROCURONIUM IM BROMIDE PURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	USPNF 2023 Issue 3	<p><b>Chromatographic system:</b> Proceed as directed in the Assay.</p> <p>In footnote b of Table 1: Change 2?-(Morpholin-4-yl)-16?-(pyrrolidin-1-yl)-5?-and rostan-3?,17?-diol. to: 2?-(Morpholin-4-yl)-16?-(pyrrolidin-1-yl)-5?-and rostane-3?,17?-diol.</p>
CHLORHEXIDINE GLUCONATE ORAL RINSE PURITIES/ <i>Limit of p-Chloroaniline</i>	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	<p>Change <b>Standard solution:</b> 1.0 µg/mL of USP <i>p</i>-Chloroaniline RS in <i>Diluent</i> to: <b>Standard solution:</b> 0.001 mg/mL of USP <i>p</i>-Chloroaniline</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
MOMETASONE IDENTIFICATION FUROATE N TOPICAL SOLUTION	USP NF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	<p>RS in <i>Diluent</i> AND In <i>Analysis</i>: Change Result = <math>(r_U/r_S)</math> <math>\times (C_S/C_U) \times D \times</math> 100 to: Result = <math>(r_U/r_S)</math> <math>\times (C_S/C_U) \times 100</math> AND Delete <i>D</i> = dilution factor for the <i>Sample</i> <i>solution</i>, 2.5 In test A: Change The retention time of the major peak of the <i>Sample</i> <i>solution</i> corresponds to that of the <i>Standard</i> <i>solution</i>, both relative to the internal standard, as obtained in the</p>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
FELODIPINE	IM PUR ITIES/ <i>Organic Impurities</i>	<i>USPNF Online</i>	Online	18-Nov-2022		1-Dec-2022	NA	NA	<p>Assay. to: The retention time of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i>, as obtained in the Assay.</p> <p>Change <b>Buffer, Mobile phase, System suitability solution, Standard solution, Sample solution, and Chromatographic system:</b> Proceed as directed in the Assay. to: <b>Buffer, Mobile phase, System suitability</b></p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PENICILLIN G IDENTIFICATION BENZATHINE N INJECTABLE SUSPENSION	USP <i>NF</i> Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	<p><b>solution, Standard solution, Sample solution, and Chromatographic system:</b></p> <p>Proceed as directed in the Assay, and use 40 µL injection volume for the <i>Sensitivity solution</i>.</p> <p>Change It responds to the <i>Identification test</i> under <i>Penicillin G Benzathine Oral Suspension</i>.</p> <p>to: Mix a portion of it with methanol to obtain a solution containing about 3000 Penicillin G Units per mL.</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>Apply 20 µL of this test solution and 20 µL of a Standard solution of USP Penicillin G Benzathine RS in methanol containing 2.5 mg per mL to a suitable thin-layer chromatographic plate (see <i>Chromatography</i> ?621?) coated with a 0.25-mm layer of chromatographic silica gel, and allow the spots to dry. Using an unlined developing chamber, develop the chromatogram in a solvent system consisting of a mixture of</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>methanol, acetonitrile, and ammonium hydroxide (70:30:3) until the solvent front has moved about three-fourths of the length of the plate. Remove the plate from the developing chamber, and allow to air-dry. Spray the plate uniformly with a spray reagent prepared as follows.</p> <p>Dissolve 20 g of tartaric acid and 1.7 g of bismuth subnitrate in 80 mL of water. Add 2.5 mL of this solution, 2.5 mL of potassium iodide solution (4 in 10), and</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ADIPIC ACID	IM PURITIES/Related Substances	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	10 g of tartaric acid to 50 mL of water, and mix. Examine the chromatograms: the principal spot obtained from the test solution corresponds in $R_F$ value to that obtained from the Standard solution. In <i>Table 2</i> : Change Pimelic acid 1.21 0.91 Valeric acid 1.21 0.91 to: Pimelic acid 1.21 0.91 Valeric acid 1.46 0.88
ROCURONIUM BROMIDE	CHEMICAL INFORMATION	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	USPNF 2023 Issue 3	Change 609.68 to: 609.69
ZINC UNDECYLATE	ASSAY/ Procedure	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	In <i>Solution A</i> : Change

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PENICILLIN G IDENTIFICATIO BENZATHINE N	<i>USPNF Online</i> Online		18-Nov-2022	1-Dec-2022	NA	NA	0.15 N hydrochloric acid in water prepared as follows. Transfer 150 mL of hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and mix well. to: 0.15 N hydrochloric acid in water prepared as follows. Transfer 150 mL of 0.5 N hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and mix well. In <i>Test A</i> : Change

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
AND PENICILLIN G PROCAINE INJECTABLE SUSPENSION							<p>It responds to the <i>Identification</i> test under <i>Penicillin G Benzathine Oral Suspension</i>: the spot obtained from the test solution, corresponding in <math>R_F</math> value to that obtained from the Standard solution, is completely resolved from a second spot, produced by penicillin G procaine.</p> <p>to:</p> <p>Mix a portion of it with methanol to obtain a solution containing about 3000 Penicillin G Units per mL.</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>Apply 20 µL of this test solution and 20 µL of a Standard solution of USP Penicillin G Benzathine RS in methanol containing 2.5 mg per mL to a suitable thin-layer chromatographic plate (see <i>Chromatography</i> ?621?) coated with a 0.25-mm layer of chromatographic silica gel, and allow the spots to dry. Using an unlined developing chamber, develop the chromatogram in a solvent system consisting of a mixture of</p>



<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>methanol, acetonitrile, and ammonium hydroxide (70:30:3) until the solvent front has moved about three-fourths of the length of the plate. Remove the plate from the developing chamber, and allow to air-dry. Spray the plate uniformly with a spray reagent prepared as follows.</p> <p>Dissolve 20 g of tartaric acid and 1.7 g of bismuth subnitrate in 80 mL of water. Add 2.5 mL of this solution, 2.5 mL of potassium iodide solution (4 in 10), and</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
POTASSIUM PERFORMANC CITRATE EXTEE	USPNF Online	Online	18-Nov-2022	1-Dec-2022	NA	NA	10 g of tartaric acid to 50 mL of water, and mix. Examine the chromatograms: the principal spot obtained from the test solution corresponds in $R_F$ value to that obtained from the Standard solution. The spot obtained from the test solution, corresponding in $R_F$ value to that obtained from the Standard solution, is completely resolved from a second spot, produced by penicillin G procaine. In <i>Test 6</i> : Change

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
NDED- RELEASE TABLETS	TESTS/ <i>Dissolution</i> <711>								<p><b>Times:</b> 0.5, 1, and 4 h—for strengths 540 and 1080 mg as potassium citrate monohydrate; 0.5, 1, and 6 h—for strength 1620 mg as potassium citrate monohydrate.</p> <p>to:</p> <p><b>Times:</b> 0.5, 1, and 4 h—for strength 540 mg as potassium citrate monohydrate; 0.5, 1, and 6 h—for strengths 1080 and 1620 mg as potassium citrate monohydrate.</p> <p>In <i>Analysis</i>: Change C<sub>S</sub> =</p>
CALCIUM L-5- METHYLTETR AHYDROFOLA	IM PUR ITIES/ <i>Related</i>	USPNF Online	Online	28-Oct-2022		1-Nov-2022	NA	NA	

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
TE		<i>Compounds</i>							concentration of USP Calcium D L-5-Methyltetrahydrofolate RS in the <i>Standard solution</i> (mg/mL) to: $C_S =$ concentration of USP Calcium D, L-5-Methyltetrahydrofolate RS in the <i>Standard solution</i> (mg/mL)
SITAGLIPTIN PHOSPHATE	CHEMICAL INFORMATION	USPNF Online	Online	28-Oct-2022		1-Nov-2022	NA	NA	Change 523.32 to: 523.33 AND Change (3R)-3-Amino-1-[3-(trifluoromethyl)-5,6-dihydro[1,2,4]triazolo[4,3-a]pyridazin-7(8H

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
DOFETILIDE	CHEMICAL INFORMATION	USPNF Online	Online	28-Oct-2022		1-Nov-2022	NA	NA	<p>)-yl-4-(2,4,5-trifluorophenyl)butan-1-one phosphate monohydrate</p> <p>to:</p> <p>(3R)-3-Amino-1-[3-(trifluoromethyl)-5,6-dihydro[1,2,4]triazolo[4,3-a]pyridazin-7(8H)-yl]-4-(2,4,5-trifluorophenyl)butan-1-one phosphate monohydrate</p> <p>Change</p> <p>?-[(p-Methanesulfonamidophenethyl)methylamino]methane sulfono-<i>p</i>-phenetidine</p> <p>to:</p> <p><i>N</i>-{4-[2-(Methyl{2-</p>

<a href="#">Monograph TitleSection</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CALCIUM UND ASSAY/ ECYLENATE <i>Procedure</i>	<i>USPNF Online</i> Online		28-Oct-2022	1-Nov-2022	NA	NA	[4-(methylsulfonamido)phenoxy]ethyl}amino)ethyl]phenyl}methanesulfonamide In <i>Solution A</i> : Change 0.15 N hydrochloric acid in water prepared as follows. Transfer 150 mL of hydrochloric acid to a 500-mL volumetric flask, dilute with water to volume, and mix well. to: 0.15 N hydrochloric acid in water prepared as follows. Transfer 150 mL of 0.5 N hydrochloric acid VS to a

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CALCIUM L-5- IDENTIFICATIO METHYLTETR N AHYDROFOLA TE	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	500-mL volumetric flask, dilute with water to volume, and mix well. In A. <i>Spectroscopic Identification Tests &lt;197&gt;</i> , <i>Infrared Spectroscopy: 197K</i> : Change USP Calcium D L-5-Methyltetrahydrofolate RS to: USP Calcium D, L-5-Methyltetrahydrofolate RS
TETRACYCLIN SPECIFIC E HYDROCHL TESTS/ ORIDE <i>Bacterial Endotoxins Test &lt;85&gt;</i>	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	Change Where the label states tetracycline hydrochloride must be subjected to further processing during the preparation of injectable

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							<p>dosage forms, the level of bacterial endotoxins are such that the requirement under the relevant dosage form monograph(s) in which tetracycline hydrochloride is used can be met.</p> <p>to:</p> <p>Where the label states Tetracycline Hydrochloride must be subjected to further processing during the preparation of injectable dosage forms, the level of bacterial endotoxins are</p>



<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
DOXORUBICIN ASSAY/ HYDROCHLORIDE INJECTION	<i>Procedure</i>	USPNF Online	Online	28-Oct-2022		1-Nov-2022	NA	NA	such that the requirement under the relevant dosage form monograph(s) in which Tetracycline Hydrochloride is used can be met. In <i>Analysis</i> : Change <i>P</i> = potency of doxorubicin in USP Doxorubicin Hydrochloride RS (µg/mg) to: <i>P</i> = potency of doxorubicin hydrochloride in USP Doxorubicin Hydrochloride RS (µg/mg)
DIAZOXIDE	IM PUR ITIES/ <i>Organic Impurities</i>	USPNF Online	Online	28-Oct-2022		1-Nov-2022	NA	NA	In footnote a in <i>Table 2</i> : Change 7-Chl

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
							oro-2H -benzothiadiazin-3(4H)-one 1,1-dioxide. to: 7-Chl oro-2H -1,2,4-benzothiadiazin -3(4H)-one 1,1-dioxide.
CALCIUM L-5-METHYLtetrahydrofolate IM PURITIES/ TE <i>Enantiomeric Purity</i>	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	In <i>Standard solution</i> : Change USP Calcium D L-5-Methyltetrahydrofolate RS to: USP Calcium D, L-5-Methyltetrahydrofolate RS
DOXORUBICIN ASSAY/ HYDROCHLORIDE FOR INJECTION <i>Procedure</i>	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	In <i>Analysis</i> : Change <i>P</i> = potency of doxorubicin in USP Doxorubicin Hydrochloride RS (µg/mg) to:

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PRIMIDONE TABLETS	ASSAY/ Procedure	USPNF Online	Online	28-Oct-2022		1-Dec-2022	NA	NA	<p><i>P</i> = potency of doxorubicin hydrochloride in USP</p> <p>Doxorubicin Hydrochloride RS (µg/mg)</p> <p>In <i>Sample solution</i>: Change 0.05 mg/mL of primidone from the <i>Standard stock solution</i> in <i>Diluent</i> to: 0.05 mg/mL of primidone from the <i>Sample stock solution</i> in <i>Diluent</i></p>
ANETHOLE	DEFINITION	USPNF Online	Online	28-Oct-2022		1-Nov-2022	NA	NA	<p>Change (<i>E</i>)-1-methyl-4-(1-propenyl) benzene to: (<i>E</i>)-1-methoxy-4-(1-propenyl) benzene</p>

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CALCIUM L-5- ASSAY/ METHYLTETR Procedure AHYDROFOLA TE	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	In <i>System suitability solution</i> : Change USP Calcium D L-5-Methyltetrahydrofolate RS to: USP Calcium D, L-5-Methyltetrahydrofolate RS AND In <i>Standard solution</i> : Change USP Calcium D L-5-Methyltetrahydrofolate RS to: USP Calcium D, L-5-Methyltetrahydrofolate RS AND In <i>System suitability/Samples</i> : Change USP Calcium D L-5-Methyltetrahydrofolate RS to:

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
TETRACYCLIN ADDITIONAL R E HYDROCHL EQUIREMENT ORIDE <i>S/Labeling</i>	<i>USPNF Online</i> Online		28-Oct-2022	1-Nov-2022	NA	NA	USP Calcium D, L-5-Methyltetrahydrofolate RS AND In <i>Analysis</i> : Change $C_S =$ concentration of USP Calcium D L-5-Methyltetrahydrofolate RS in the <i>Standard solution</i> (mg/mL) to: $C_S =$ concentration of USP Calcium D, L-5-Methyltetrahydrofolate RS in the <i>Standard solution</i> (mg/mL) Change Where tetracycline hydrochloride must be sterile or subjected to further processing

<a href="#">Monograph TitleSection</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
DOXORUBICIN IM HYDROCHLOR PUR IDE INJECTIONITIES/ <i>Organic</i>	<i>USPNF 2022 Online</i> <i>Online</i>	Online	28-Oct-2022	1-Nov-2022	NA	NA	<p>during the preparation of injectable dosage forms to ensure acceptable levels of bacterial endotoxins, it is so labeled.</p> <p>to: Where Tetracycline Hydrochloride must be sterile or subjected to further processing during the preparation of injectable dosage forms to ensure acceptable levels of bacterial endotoxins, it is so labeled.</p> <p>In <i>Analysis</i>: Change <i>P</i> = potency of</p>

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									doxorubicin in USP Doxorubicin Hydrochloride RS (µg/mg) to: <i>P</i> = potency of doxorubicin hydrochloride in USP Doxorubicin Hydrochloride RS (µg/mg)
DOXAZOSIN MESYLATE	IM PURITIES/ <i>Organic Impurities</i>	USPNF Online	Online	28-Oct-2022		1-Nov-2022	NA	NA	In <i>Analysis</i> : Change $C_S$ = concentration of the corresponding USP Doxazosin Related Compound RS or USP Doxazosin Mesylate RS (for calculating unspecified impurities) in the <i>Standard solution</i> (mg/mL)

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
CALCIUM L-5-METHYLTETRAHYDROFOLATE ADDITIONAL REQUIREMENT S/USP Reference Standards <11>	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	to: C <sub>S</sub> = concentration of the corresponding USP Reference Standard or USP Doxazosin Mesylate RS (for calculating unspecified impurities) in the <i>Standard solution</i> (mg/mL) Change USP Calcium D L-5-Methyltetrahydrofolate RS to: USP Calcium D, L-5-Methyltetrahydrofolate RS In <i>Analysis</i> : Change <i>P</i> = potency of doxorubicin in USP Doxorubicin Hydrochloride RS (µg/mg)
DOXORUBICIN HYDROCHLORIDE FOR INJECTION IM PURITIES/Organic Impurities	USPNF Online	Online	28-Oct-2022	1-Nov-2022	NA	NA	



<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
ENZACAMENE ASSAY/ <i>Procedure</i>	USPNF Online	Online	28-Oct-2022	1-Dec-2022	NA	NA	to: <i>P</i> = potency of doxorubicin hydrochloride in USP Doxorubicin Hydrochloride RS (µg/mg) In <i>Analysis</i> : Change <i>C<sub>U</sub></i> = concentration of enzacamene in the <i>Sample solution</i> (mg/mL) to: <i>C<sub>U</sub></i> = concentration of Enzacamene in the <i>Sample solution</i> (mg/mL)
NALOXONE HYIMPURITIES DROCHLORID E	USPNF Online	Online	28-Oct-2022	1-Dec-2022	NA	NA	In <i>Limit of Naloxone Related Compound D</i> : Delete <b>Sensitivity solution</b> : 1.25 µg/mL of USP

<a href="#">Monograph Title</a>	<a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a>	<a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
									Naloxone Related Compound D RS in 0.1 N hydrochloric acid AND In System suitability/Samples: Delete Sensitivity solution, AND In System suitability/Suitability requirements: Delete <b>Signal-to-noise ratio:</b> NLT 10, Sensitivity solution
N-Benzoyl-L-arginine Ethyl Ester Hydrochloride	REAGENT SPECIFICATIONS	USPNF Online	Online	30-Sep-2022		1-Dec-2022	NA	NA	Change Crystallized Trypsin (USP Monograph). to: Trypsin (USP Monograph). In Buffer.
SODIUM	IM	USPNF Online	Online	30-Sep-2022		1-Oct-2022	NA	NA	

<a href="#">Monograph Title</a> <a href="#">Section</a>	<a href="#">Source Publication</a>	<a href="#">Page Number</a>	<a href="#">Errata Post Date</a> <a href="#">Sort ascending</a>	<a href="#">Errata Official Date</a>	<a href="#">Target Errata Print Publication</a>	<a href="#">Target Online Fix Publication</a>	Description
PICOSULFATE PUR ITIES/ <i>Organic Impurities</i>							Change cetyltrimethylammonium bromide, to: cetyltrimethylammonium bromide, Delete
LANSOPRAZOLE DELAYED-RELEASE CAPSULES	USPNF Online	Online	30-Sep-2022	1-Oct-2022	NA	NA	<b>Blank:</b> Methanol and Diluent (1:9)
TERAZOSIN CAPSULES	USPNF Online	Online	30-Sep-2022	1-Oct-2022	NA	NA	In Hydrochloric acid solution: Change 0.1 N methanolic hydrochloric acid to: 0.01 N methanolic hydrochloric acid

## Pagination

- [First page « First](#)
- [Previous page ‹ Previous](#)
- [Page 1](#)
- [Page 2](#)

- 
- [Page 3](#)
  - [Page 4](#)
  - [Page 5](#)
  - [Page 6](#)
  - [Page 7](#)
  - [Page 8](#)
  - [Page 9](#)
  - ...
  - [Next page Next ›](#)
  - [Last page Last »](#)